

TEXAS

EQUIPMENT

2026



MANUFACTURER OF
GARDEN MACHINES
- SINCE 1960

INDEX

BATTERY SERIES	4
20V battery series	6
40V battery series	12
58V battery series	16
GARDEN TILLERS	20
Electric Cultivators	22
Lilli 3 Garden Tillers	23
Lilli 5 Garden Tillers	25
FX Garden Tiller	26
TX Garden Tillers	26
Accessories	27
LAWN MOWERS	28
Robotic mowers	30
Electric lawn mowers	32
Razor lawn mowers	33
Premium lawn mowers	36
Zero Turn lawn mowers	38
Lawn tractors	41
SCARIFIERS	48
LAWN EDGERS	50
WEED CLEANERS	52
BRUSH CUTTERS	54
Brush cutters	56
Pro Trim	59
Scythe mowers	59
Rotary mowers	60
Accessories	61
HEDGE TRIMMERS	62
Hedge trimmers	63
Pruners	63
CHAINSAWS AND LOG SPLITTERS	64
Chainsaws	65
Log splitters	67
SWEEPERS	68
MS hand-push sweepers	69
Smart Sweep	69
Handy Sweep	70
Combi 800	72
Pro Trac/Sweep	74
LEAF BLOWERS AND VACUUMS	76
SPREADERS	78
MISCELLANEOUS	80
WHICH OIL FITS YOUR MACHINE?	83



WARRANTY AND SPARE PARTS

Relax knowing that your new TEXAS garden machine is a dependable addition to your home. For private use, TEXAS offers a 2-year warranty on all non-wear parts for all machines, and an additional year for a total of 3 years on all our 4-stroke machines, covering manufacturing, material, and functional defects.

If you frequently use your TEXAS garden machine and wear out parts like brushes, cables, filters, or others, even 10 years after your purchase – and often much longer – you can expect that your spare and wear parts will be available at our 20,000 m² central warehouse near Odense.

This warehouse stocks more than 35,000 different spare parts, and we have more than 65 years of experience servicing our products all over Europe. This means that it is easy for you to find and just replace a small part instead of having to buy a new machine repeatedly.

DISTRIBUTION

TEXAS A/S has a widespread presence, represented in over 30 countries with sales offices in most parts of Europe and other regions, including India, China, and even New Caledonia. Through our network of distributors and dealers, TEXAS ensures that customers always receive the expected level of service associated with a TEXAS product. From our head office in Odense, the international sales and service department offers guidance and assistance in multiple languages before, during, and after a purchase, further enhancing customer support and experience.



ABOUT TEXAS A/S

TEXAS A/S was founded in 1960 in Højby, south of Odense, Denmark, by Andreas Petersen. Initially, the company focused on reselling and servicing chainsaws, but within a few years, we expanded to also manufacture and service high-quality, affordable garden tillers for the Danish market. In the 1980s, TEXAS A/S started developing a comprehensive range of quality products at good prices for gardens, parks, and landscaping, a strategy that continues to this day.

TEXAS A/S remains a 100% Danish family-owned business, boasting over 65 years of experience in manufacturing

and selling garden machinery worldwide, capable of handling any task in gardens and parks, whether powered by gasoline, electricity, or batteries, and suitable for private, semi-professional, or professional users.

The objective remains, as it has always been, to provide quality garden machinery at reasonable prices, ensure a wide availability of spare parts, and guarantee that our customers always receive the best possible service.





BATTERY SERIES

Discover a new world of garden machinery with TEXAS' three battery series at 20V, 40V, and 58V. Experience less noise, fewer vibrations, lower weight, and less maintenance when working with your battery-powered garden machines compared to a gasoline-powered - the user-friendliness is top-notch.

In TEXAS' extensive 20V battery series, there is a wide and continually growing selection of products for the typical garden owner.

A bit more power is found in the 40V series, and in the semi-professional 58V series, which can compete with most gasoline-powered machines - but you still get the benefits of a battery machine, where the battery can be used for all machines in the same battery series.

WATCH OUR VIDEOS



PERFORM ALL GARDENING WORK ON BATTERY POWER

With TEXAS' battery series, you can handle all tasks in your garden. Here you will find several types of lawn mowers, lightweight hedge trimmers, powerful chainsaws, smart grass trimmers, practical brush cutters, and a selection of other garden machines and accessories that can make your life simpler.

With TEXAS' battery-powered garden machinery, there is no longer need for oil changes and the struggle with pull-start cords and flooding the engine is history. Put the battery in the machine, push the button and experience tremendous user-friendliness and minimal maintenance, making gardening more fun, faster, and easier.



HOW A BATTERY PRODUCT WORKS

A TEXAS garden machine on battery operates almost like a gasoline-powered garden machine. The battery powers a motor, which provides energy to the machine, whether it's a lawn mower, a cultivator or a hedge trimmer.

Several of the motors are brushless, making them more energy-efficient, have less wear and tear, and utilize the battery better than the more traditional motor with carbon brushes. If the battery has power, the machine works, and if the battery runs out, you simply insert a new battery and continue working. It's that easy.

UNDERSTANDING THE BATTERY

To categorize a battery, you need to look at two numbers – V, which stands for volts, and Ah, which stands for ampere hours.

Volt is a unit of measurement for electrical potential and voltage, so V indicates the battery's power. The higher the volt number, the more powerful the machine is.

Ampere hour describes the battery's capacity. You can say that Ah represents the size of the battery. Therefore, a 4.0 Ah battery will have twice the capacity of a 2.0 Ah battery and typically provide twice as long working time. More Ah usually also means that the battery is physically larger.

SOLO MACHINES

At TEXAS, you can purchase battery-powered garden machines including a charger and battery, but you can also buy our solo machines. When a machine is listed as solo, it is delivered without a charger and a battery – and this makes expanding your garden tool range more affordable, if you already own a battery and a charger.

So, if you already have a charger and batteries, it's extremely easy to expand your collection in the battery series, as with solo machines you simply insert your batteries, and then you are ready for a new task in the garden.



20V

LITHIUM SERIES

20V BATTERY SERIES

With TEXAS' 20V battery series, you use one or two batteries for a wide range of machines for the garden and home. Our 20V machines are lightweight and user-friendly, require minimal maintenance, and you just need the batteries to be charged to work.



BATTERIES

- Power button to check the power level
- Release buttons on the sides
- 2.0 Ah battery: recommended for grass trimmers, hedgetrimmers, pole hedgetrimmers and pole chainsaws
- 4.0 Ah battery: recommended for leafblowers, chainsaws and lawn mowers
- 5.0 Ah battery: recommended for task where more working time is needed



BATTERY
2.0 Ah

Art. no.
90063245



BATTERY
4.0 Ah

Art. no.
90063246



BATTERY
5.0 Ah

Art. no.
90063247



2.0 AH

4.0 AH

+ 100%

5.0 AH

+ 150%

HTX 2000: Working time tested up to 35 min with a 2.0 Ah battery

FAST CHARGER



Art. no.
90063242

DUAL FAST CHARGER



Art. no.
90063241



CHARGERS

- Indicator for charging
- Can be used for all 20V-series batteries
- Chargers use 230V



CHARGING TIME*	2.0 AH	4.0 AH	5.0 AH
FAST CHARGER	60 min	120 min	150 min
DUAL FAST CHARGER	60 min	120 min	150 min

* May vary depending on conditions



ACCESSORIES




NEW



	ESX 2000	HFX 2000	CTX 2020 - SOLO	FRX 2020 - SOLO
Incl. battery	4.0 Ah	4.0 Ah	-	-
Gears	-	-	1 forward	2 forward + 1 reverse
Working width	17 cm	15.5 cm	36 cm	40 cm
Working depth	8 cm	16 cm	21 cm	26 cm
Transport wheels	-	-	•	•
Incl.	4.0 Ah battery + fast charger	4.0 Ah battery + fast charger	-	-
Capacity*	24 min	23 min	20 min (2 x 4 AH)	-
Art. no.	90061142	90063237	90063288	90063298

ESX 2000



WEEDING • CULTIVATION • FERTILISING • PLANTING • EDGING

The 2 knives work in the most suitable way, so it both do the weeding and the cultivation at the same time. The knives move forward and backwards, which gives a quiet and nice working procedure.

It neither jumps or slide as a normal cultivator with rotating knives can do – and at the same

time you avoid that knives stop because they are wrapped around with grass and weed.

The special angle of the knives ensures, that you do not damage the roots of the plants, and they add air to the soil, so that it becomes looser with bigger volume.



	LBX 2000	MPX 2000 - SOLO	WRX 2000	STX 2000
Incl. battery	4.0 Ah	-	2.0 Ah	4.0 Ah
Functions	Variable speed 105-150 km/h	36 cm working width. -1.2 / +0.6 cm working depth	0.5 cm working width. Brush ø 10 cm. Brush speed 1200 rpm	28 cm working width. Distance from 2-5m. Adjustable handle
Weight excl. battery	1.9 kg	10.6 kg	2.2 kg	4.15 kg
Incl.	4.0 Ah battery + fast charger	Lawn raker roll + scarifier roll	2.0 Ah battery + fast charger + 1 pcs nylon brush + 1 pcs steel brush	4.0 Ah battery + fast charger
Capacity*	12 min	30 min (2 x 4 AH)	35 min	24 min
Art. no.	90063253	90063289	90063250	90063226



	GSX 2000 - SOLO	HTX 2000	CSX 2000	CHX 2000
Incl. battery	-	2.0 Ah	4.0 Ah	4.0 Ah
Functions	Two levels cutting 25mm/35mm. Touch sensor. Info display	15 mm cutting width. 52 cm blade	25 cm guide bar. Chain speed 5 m/s	12.5 cm guide bar. Chain speed 8.5-11 m/s
Weight excl. battery	0.9 kg	2.1 kg	2.8 kg	1.2 kg
Incl.	Tools	2.0 Ah battery + fast charger	4.0 Ah battery + fast charger	4.0 Ah battery + fast charger
Capacity*	-	35 min	-	-
Art. no.	90063294	90063252	90063257	90063260

* May vary depending on conditions




ACCESSORIES

EXTRA BLADES
For GTX 2000
12 pcs.



Art. no.
90070009

NEW



	GTX 2000	SHX 2000	PHX 2000	PCX 2000	PHX2000+PCX2000 2-IN-1
Incl. battery	2.0 Ah	2.0 Ah	2.0 Ah	2.0 Ah	2.0 Ah
Functions	Plastic blade. Plant guard. Adjustable cutting head	17 mm cutting width. 43 cm blade. 1.4 m long	15 mm cutting width. 43 cm blade. 2.78 m long	19 cm guide bar. 2.59 m long. Chain speed 5 m/s	15 mm cutting width. 43 cm blade. 2.78 m long + 19 cm guide bar. 2.59 m long. Chain speed 5 m/s
Weight excl. battery	1.8 kg	2.4 kg	3.1 kg	3.0 kg	3.1 / 3.0 kg
Incl.	2.0 Ah battery + fast charger	2.0 Ah battery + fast charger	2.0 Ah battery + fast charger + harness	2.0 Ah battery + fast charger + harness	2.0 Ah battery + fast charger + harness
Capacity*	30 min	25 min	35 min	-	-
Art. no.	90063251	90063236	90063254	90063255	90063256





DOUBLE BATTERY POWER

A novelty in TEXAS' 20V battery series is products with space for two batteries. Here you will find nine powerful new additions. Common to all is that they use two 20V batteries, which means twice the power to your machine.

This makes our 20V battery series far more versatile, as the power from 2 x 20V batteries

enables you to handle more challenging and harder tasks in the garden, without the need to invest in a more powerful battery group like our 40V or 58V battery series.

The 20V battery series is ideal for the average and large garden, and now also for work requiring that extra power.

+ ACCESSORIES

EXTENSION POLE
For BMX 2020
70 cm

Art. no. 464998



	SBX 2020 - SOLO	BCX 2020 - SOLO	BMX 2020 4-IN-1 - SOLO
Incl. battery	-	-	-
Functions	50 cm working width. 30 cm working height. 4.5-6 m throwing distance	35 cm line. 25.5 cm blade	Line. Blade. Pole chainsaw. Hedge trimmer
Weight excl. battery	15.5 kg	3.9 kg	4.8 - 5.4 kg
Incl.	-	Harness	-
Motor type	Brushless	Brushless	Brushless
Art. no.	90063266	90063261	90063292



	CSX 2020 - SOLO	HTX 2020 - SOLO	BVX 2020 - SOLO
Incl. battery	-	-	-
Functions	40 cm guide bar. Chain speed 15 m/s	61 cm blade. 25 mm cutting width. Rotatable handle	Blower speed 245 km/h. Capacity 11.3m³/min. 15 L collector
Weight excl. battery	3.9 kg	3.2 kg	2.28 - 3.33 kg
Incl.	Bar guard	Bar guard	-
Motor type	Brushless	Brush	Brushless
Art. no.	90063267	90063262	90063263



2 X 2.0V
- MORE POWER

NEW

NEW



	LMX 2033	LMX 2038	LMX 2044	LMX 2051TRV
Incl. battery	2 x 2.0 Ah	2 x 4.0 Ah	2 x 4.0 Ah	2 x 5.0 Ah
Capacity*	250 m ²	500 m ²	650 m ²	700/500 m ² (push/drive)
Driving	Push	Push	Push	Self-propelled, variable speed
Cutting width	33 cm	38 cm	44 cm	51 cm
Functions	Rear discharge, rear collect	Rear discharge, rear collect	Mulching, rear discharge, rear collect	Mulching, side discharge, rear collect
Height adjustment	Central 5 pos. 25-65 mm	Central 6 pos. 25-70 mm	Central 6 pos. 25-70 mm	Central 6 pos. 38-100 mm
Collection volume	35 l	40 l	50 l	65 l
Wheels	150/150 mm	150/175 mm	175/225 mm	200/250 mm
Motor type	Brush	Brushless	Brushless	Brushless
Incl.	2 x 2.0 Ah battery + fast charger	2 x 4.0 Ah battery + fast charger	2 x 4.0 Ah battery + fast charger	2 x 5.0 Ah battery + dual fast charger
Weight excl. battery	10.6 kg	11 kg	16 kg	28 kg
Art. no.	90063271	90063276	90063273	90063278

* May vary depending on conditions



	IDX 2000 - SOLO	IFX 2000 - SOLO	WGX 2000 - SOLO	BSX 2000 - SOLO
Incl. battery	-	-	-	-
Functions	2-speed impact drill. Max torque 22 Nm	10 bar/150 PSI. Flow rate 25L/min	Max pressure 1.5 / 2.4 Mpa. Max range 8 m. Two speed	12 L capacity. 5/6 bar pressure (2 settings)
Weight excl. battery	0.95 kg	0.9 kg	1.4 kg	3.3 kg
Incl.	-	3 pcs nozzles	Detergent bottle. Extension pole. 5-in-1 spray nozzle. 4.6 m water hose	Steel lance w. brass nozzle. Plastic lance w. 4 nozzles
Motor type	Brush	Brush	Brush	Brush
Art. no.	90063291	90063293	90063295	90063299

40V
LITHIUM
SERIES

40V BATTERY SERIES

TEXAS' 40V battery series offers the most essential garden machines, all powered by a single 40V battery. Our 40V machines can therefore handle tougher tasks, while still being lightweight, user-friendly, and requiring minimal maintenance.



BATTERIES

- Display button to check the power level
- Release buttons on the sides
- 2.5 Ah battery: recommended for small tasks where a light weight machine is needed
- 4.0 Ah battery: recommended for lawn mowers and garden tillers



BATTERY
2.5 Ah

Art. no.
90066660



BATTERY
4.0 Ah

Art. no.
90066659

2.5 AH	
4.0 AH	+ 60%

GTX 4000: Working time tested up to 35 min with a 2.5 Ah battery



CHARGER



Art. no.
90066658

FAST CHARGER



Art. no.
90066657

CHARGERS

- Indicator for charging
- Can be used for all 40V-series batteries
- Chargers use 230V



CHARGING TIME*	2.5 AH	4.0 AH
CHARGER	78 min	124 min
FAST CHARGER	70 min	60 min

* May vary depending on conditions



	GTX 4000	LBX 4000 - SOLO	HTX 4000	CSX 4000 - SOLO
Incl. battery	2.5 Ah	-	2.5 Ah	-
Functions	Auto feed head. Adjustable cutting head	Variable speed 101-126 km/h	23 mm cutting width. 58 cm blade. Rotatable handle	35 cm guide bar. Chain speed 16 m/s
Incl.	2.5 Ah battery + charger	-	2.5 Ah battery + charger	-
Capacity*	35 min	13-29 min	35 min	-
Art. no.	90066661	90066651	90066662	90066663



FRX 4000

- 2 forward + 1 reverse gear
- Minimal maintenance
- Working width: 40 cm

	FRX 4000 - SOLO
Incl. battery	-
Gears	2 forward + 1 reverse
Working width	40 cm
Working depth	26 cm
Transport wheels	•
Incl.	-
Weight excl. battery	25 kg
Art. no.	90066650



ACCESSORIES: EL-TEX 1800 / FRX 2020 / FRX 4000 / FRZ 5800 / LILLI 3

RIDGER 6"		Art. no. 91032500100 ^(*)	SCARIFIER Working width: 55 cm		Art. no. 91033600100
RAKE Working width: 55 cm		Art. no. 91031100100 ^(*)	WHEELS (SET) 10"		Art. no. 91032000100
WEEDER Working width: 40 cm		Art. no. 91031500100 ^(*)			

*] Needs 10" wheels



RAZOR 4640TR-LI

The Razor 4640TR-Li is a lawn mower in TEXAS' 40V battery series, and like all TEXAS battery products, the Razor 4640TR-Li is extremely user-friendly and comfortable to use. Press the button on the adjustable handlebar and activate the start handle and the brushless motor starts up – activate the second handle and the lawn mower's self-propulsion starts.

With a 4-in-1 cutting function, you can choose to use either side or rear discharge, mulching, or the large included 65-liter collector. Choose the height of your lawn, as you can centrally adjust the Razor 4640TR-Li's cutting height in 6 steps between 28 and 75 mm.

The lawn mower has space for two batteries but only uses one actively. Use both of the included 2.5 Ah batteries, and it can easily handle the typical suburban lawn size with self-propulsion. The cutting capacity becomes even greater if you push it yourself, and it's also easy, as it only weighs 26.5 kg (without battery), even with a solid steel cutting deck and a cutting width of 46 cm.

Mow your lawn with the Razor 4640TR-Li and experience the power and comfort of TEXAS' 40V battery series.



	RAZOR 4200LI	RAZOR 4220TR-LI	RAZOR 4640TR-LI
Incl. battery	2.5 Ah	2.5 Ah	2 x 2.5 Ah
Capacity*	300 m ²	200 m ²	400 m ²
Driving	Push	Self-propelled	Self-propelled
Cutting width	42 cm	42 cm	46 cm
Functions	Mulching, rear discharge, rear collect	Mulching, rear discharge, rear collect	Mulching, rear discharge, rear collect, side discharge
Height adjustment	Central 6 pos. 28-75 mm	Central 6 pos. 28-75 mm	Central 6 pos. 28-75 mm
Collection volume	45 l	45 l	65 l
Wheels	6"/7"	6"/7"	7"/10"
Cutting deck	Steel	Steel	Steel
Incl.	2.5 Ah battery + charger	2.5 Ah battery + charger	2 x 2.5 Ah battery + charger
Weight excl. battery	21 kg	22 kg	26.5 kg
Art. no.	90066666	90066667	90066655

* May vary depending on conditions



RAZOR 4220TR-LI



58V
LITHIUM
SERIES

58V BATTERY SERIES

TEXAS' 58V battery series offers you plenty of strength, comparable to many gasoline products. These are semi-professional garden machines that provide both high power and the advantages of a battery product with lower weight, minimal noise, and less maintenance.



BATTERIES

- Power button to check the power level
- Release buttons on the sides
- 4.0 Ah battery: recommended for all machines
- 5.0 Ah battery: recommended for task where more working time is needed




BATTERY
4.0 Ah

Art. no.
90070050



BATTERY
5.0 Ah

Art. no.
90070053



FAST CHARGER

Art. no.
90070054



CHARGER

- Indicator for charging
- Can be used for all 58V-series batteries
- Charger use 230V



CHARGING TIME*	4.0 AH	5.0 AH
FAST CHARGER	120 min	150 min

* May vary depending on conditions

FRZ 5800

At TEXAS, you'll find a real battery-powered garden tiller – and of course, we have a lot of practical accessories so your tiller can assist you with many tasks in the garden. FRZ 5800 is the top model among battery-powered garden tillers, giving you the feel of a gasoline-powered model while offering the benefits of lower weight, easy operation, and minimal maintenance, all characteristic of battery products.

This powerful tiller features an 800W brushless motor, powered by just one 58V battery. With a maximum working width of 60 cm,

FRZ 5800 drives 24 blades across six blade sets, reaching a working depth of up to 26 cm. However, you can also remove blade sets, reducing its working width to 28 or 40 cm, allowing it to cultivate both large kitchen gardens and smaller beds.

Weighing 27.5 kg, it is lighter than comparable gasoline-powered models, and it has a combined rear earth spike and transport wheel, making it easy to operate and handle both during work and when moving around – and since it naturally has a reverse gear, it is very user-friendly.



	FRZ 5800 - SOLO
Incl. battery	-
Gears	2 forward + 1 reverse
Working width	28-40-60 cm
Working depth	26 cm
Transport wheels	•
Incl.	-
Weight excl. battery	27.5 kg
Art. no.	90070069



ACCESSORIES: EL-TEX 1800 / FRX 2020 / FRX 4000 / FRZ 5800 / LILLI 3

RIDGER 6"		Art. no. 91032500100 ^(*)	SCARIFIER Working width: 55 cm		Art. no. 91033600100
RAKE Working width: 55 cm		Art. no. 91031100100 ^(*)	WHEELS (SET) 10"		Art. no. 91032000100
WEEDER Working width: 40 cm		Art. no. 91031500100 ^(*)			

*] Needs 10" wheels

TEXAS



	LMZ 5800	LMZ 5800TR
Incl. battery	4.0 Ah	4.0 Ah
Capacity*	600 m ²	400 m ²
Driving	Push	Self-propelled, variable speed
Cutting width	51 cm	51 cm
Functions	Mulching, rear collect	Mulching, rear collect
Height adjustment	7 pos. central. 26-90 mm	7 pos. central. 26-90 mm
Collection volume	60 l	60 l
Wheels	8"/10"	8"/10"
Cutting deck	Steel	Steel
Incl.	4.0 Ah battery + fast charger	4.0 Ah battery + fast charger
Weight excl. battery	27,5 kg	30 kg
Art. no.	90070048	90070049



	LBZ 5800 - SOLO	HTZ 5800 - SOLO	TCZ 5800 - SOLO	CSZ 5800 - SOLO
Incl. battery	-	-	-	-
Functions	Blower speed 230 km/h. With turbo function	22 mm cutting width. 65 cm blade	25 cm guide bar. Chain speed 15 m/s	45 cm guide bar. Chain speed 11.5 m/s
Weight excl. battery	2 kg	3 kg	2.8 kg	4.5 kg
Incl.	-	Battery waist bag	Battery waist bag	-
Capacity*	30 min	60 min	40 min	35 min
Art. no.	90070043	90070042	90070046	90070047

* May vary depending on conditions



	BMZ 5800 - SOLO	BCZ 5800 - SOLO	PCZ 5800 - SOLO	PHZ 5800 - SOLO
Incl. battery	-	-	-	-
Functions	40 cm line. 25 cm blade. 25 cm chainsaw. 55 cm hedge trimmer	40 cm line. 25 cm blade	20 cm guide bar. 2.1 m long. Chain speed 5 m/s	22 mm cutting width. 52 cm blade. 2.2 m long
Weight excl. battery	6.1 - 7.2 kg	4.9 kg	5.4 kg	4.5 kg
Incl.	Harness	Professional harness	Harness	Harness
Capacity*	60 min	60 min	60 min	60 min
Art. no.	90070064	90070063	90070045	90070044



ACCESSORIES

**EXTENSION POLE
FOR BMZ 5800**
81 cm



Art. no.
90070066

**EXTENSION POLE
FOR PCZ 5800**
94 cm



Art. no.
90070055

**EDGER FOR
BMZ 5800**



Art. no.
90070065

**HARNESS FOR
BATTERY WAIST BAG**



Art. no.
90070061



GARDEN TILLERS

The best friend for the soil in your garden is TEXAS' garden tillers. When the tiller's strong rotating blades turn the soil, you improve the growth conditions in your soil for your new plants. Below and just at the soil surface are the remains of the dead, former plants - but they still serve a purpose. Till them into the soil, mixing soil and plants, and then nature, weather, and earthworms do the rest. Your former plants become nutrients for your soil and new plants, creating a better growth environment.

A TEXAS garden tiller is your most important garden machine for a thriving kitchen garden and lush beds.

WATCH OUR
VIDEOS



THE ICONIC TEXAS GARDEN TILLER

In the 1970s, a TEXAS garden tiller was an almost permanent fixture in the kitchen gardens and flower beds of any home that respected itself and its soil. Our Lilli 5-series is the modern version of the iconic TEXAS garden tiller, and this robust and solid garden machine is still operated in some Danish gardens to this day – and so do countless models that we have continuously developed during the last 50 years.

The characteristics of a TEXAS garden tiller today are almost the same as in the 1970s. It is powerful, durable, and comes with a wide range of accessories, but add 50 years of experience, and today you have a modern quality tiller that makes your soil and garden work easier than ever before.

Our Lilli 5 series is a direct advancement of the iconic tiller from the 70s, but today we also have both larger and smaller gasoline-powered garden tillers for every need. TEXAS' garden tillers have also kept up with the times, and you can find an electric tiller or a smaller battery-powered cultivator – and at TEXAS you'll find a real garden tiller on battery in several battery series.

With TEXAS garden tillers, you also get a vast array of accessories, so you can use your garden tiller for tasks like removing moss from the lawn, scraping snow, raking the yard, shovelling weeds, or hilling between your potatoes, and much more.



DUAL SHAFT

Only at TEXAS will you find our unique Dual Shaft gear system with two gears - one forward and one reverse. Dual Shaft means there are two shafts out of the motor, each driving the forward and reverse gears. A dedicated shaft makes the reverse gear more robust, especially when reversing and pulling the tiller out of the soil, as opposed to tillers with a single shaft that use a shifting gear, wearing out fragile gears.

LIFETIME GUARANTEE

AGAINST BREAKAGE ON
TILLER BLADES!

(NORMAL ABRASION
NOT COVERED)

LIFETIME GUARANTEE ON BLADES

The blades on TEXAS' garden tillers are designed to perform hard work over and over – and if they break, TEXAS offers a lifetime guarantee on them, so you get a new blade and can quickly get back to work.



TRANSPORT WHEELS

With solid rear-facing transport wheels on TEXAS' garden tillers, it's easy to roll them around. Or take advantage of our clever combined transport wheels and earth spike.

ELECTRIC CULTIVATORS


With TEXAS electric cultivators, you can easily turn the soil in your kitchen garden and manoeuvre in even the smallest beds – and you also get an electric garden tiller for the more demanding work.

USE	ES 300	300	1000	1500	1800
Light cultivation	●	●	●	●	●
Cultivation of vegetable garden	○	○	○	○	●
Cultivation and preparation of lawn	○	○	○	○	○



	ES 300	EL-TEX 300	EL-TEX 1000	EL-TEX 1500	EL-TEX 1800
Engine	230V	230V	230V	230V	230V
Net power	0.28 kW	0.3 kW	1.0 kW	1.5 kW	1.8 kW
Gears	-	1 forward	1 forward	1 forward	1 forward
Working width	17 cm	19 cm	36 cm	40 cm	28-40-60 cm
Working depth	8 cm	15 cm	20 cm	21 cm	26 cm
Transport wheels	-	-	-	•	•
Art. no.	90061141	90062078	90062079	90063175	90061161

ES 300



WEEDING • CULTIVATION • FERTILISING • PLANTING • EDGING

The 2 knives work in the most suitable way, so it both do the weeding and the cultivation at the same time. The knives move forward and backwards, which gives a quiet and nice working procedure.

It neither jumps or slide as a normal cultivator with rotating knives can do – and at the same

time you avoid that knives stop because they are wrapped around with grass and weed.

The special angle of the knives ensures, that you do not damage the roots of the plants, and they add air to the soil, so that it becomes looser with bigger volume.

LILLI 3 GARDEN TILLERS

ACCESSORIES



In the Lilli 3 series, you'll find smaller and compact garden tillers, ideal for turning the soil in flower beds and kitchen gardens – and of course, there's also a wide range of accessories for them.

USE	LILLI 3
Light cultivation	●
Cultivation of vegetable garden	●
Cultivation and preparation of lawn	○



	LILLI 340TG	LILLI 345TG DUAL SHAFT	LILLI 360TG	LILLI 365TG DUAL SHAFT
Engine	TG195, 4-stroke	TG195D, 4-stroke	TG195, 4-stroke	TG195D, 4-stroke
Net power	1.4 kW	1.4 kW	1.4 kW	1.4 kW
Cylinder displacement	78.5 cc	78.5 cc	78.5 cc	78.5 cc
Gears	1 forward	1 forward + 1 reverse	1 forward	1 forward + 1 reverse
Working width	40 cm	40 cm	28-40-60 cm	28-40-60 cm
Working depth	26 cm	26 cm	26 cm	26 cm
Transport wheels	•	•	•	•
Art. no.	90061151	90061152	90061153	90061154



ACCESSORIES: EL-TEX 1800 / FRX 2020 / FRX 4000 / FRZ 5800 / LILLI 3

RIDGER 6"		Art. no. 91032500100 ^(*)	SCARIFIER Working width: 55 cm		Art. no. 91033600100
RAKE Working width: 55 cm		Art. no. 91031100100 ^(*)	WHEELS (SET) 10"		Art. no. 91032000100
WEEDER Working width: 40 cm		Art. no. 91031500100 ^(*)			

*] Needs 10" wheels

TEXAS



+

ACCESSORIES:
 EL-TEX 1800
 LILLI 3 SERIES
 BATTERY SERIES

LILLI 535TG

Experience 50 years of expertise in garden tillers with our powerful and robust Lilli 535TG, the modern evolution of the popular iconic TEXAS garden tiller from the 70s.

The Lilli 535TG features TEXAS' strong TG725D engine with 212 cc, ensuring smooth operation with a tilling speed of 160 rpm. This makes turning the soil in flower beds and large kitchen gardens easy, as it has plenty of power.

You can adjust the working width of the Lilli 535TG to just 36 cm, to 55 cm, or the full 85 cm when more blade sets are mounted. With a working depth of up to 33 cm, it performs a thoroughly efficient job.

Weighing 52.5 kg, it is a very solid machine, built on a strong frame, making it extremely stable during work. The Lilli 535TG is equipped

with TEXAS' unique Dual Shaft gear system, providing a robust reverse gear, making it easy to pull free from the soil or manoeuvre.

The Lilli 535TG equipped with both a depth skid and practical transport wheels at the rear. The depth skid assists you during tilling, while the transport wheels make it easy to move the tiller. Just use your body weight to press the handle down, tipping the blades up and resting the tiller on the transport wheels – transporting it doesn't get easier.

Enjoy gardening with the Lilli 535TG and simultaneously provide your plants with excellent growth conditions.

ACCESSORIES



USE	LILLI 5
Light cultivation	●
Cultivation of vegetable garden	●
Cultivation and preparation of lawn	○



LILLI 535TG DUAL SHAFT (SET)	
Engine	TG725D, 4-stroke
Net power	4.0 kW
Cylinder displacement	212 cc
Gears	1 forward + 1 reverse
Working width	36-55-85 cm
Working depth	33 cm
Blade rotation speed	160 rpm
Adjustable handle	-
Art. no.	90061119

USE	FX
Light cultivation	●
Cultivation of vegetable garden	●
Cultivation and preparation of lawn	●



FX 815TG	
Engine	TG725, 4-stroke
Net power	4.0 kW
Cylinder displacement	212 cc
Gears	2 forward + 1 reverse
Working width	56-80/88 cm
Working depth	30 cm
Blade rotation speed	82 / 113 rpm
Adjustable handle	•
Gear oil	Need to be added (1 l.)
Art. no.	90063182



USE	TX
Light cultivation	●
Cultivation of vegetable garden	●
Cultivation and preparation of lawn	○



ACCESSORIES: LILLI / TX

OIL BATH FILTER
TG715/TG715D/TG718D/
TG725/TG725D



Art. no.
436630

TX TILLERS

- Reduced blade speed for easier operation
- Pedal operated transport wheels



	TX 611TG DUAL SHAFT	TX 612TG DUAL SHAFT	TX 602B
Engine	TG725D, 4-stroke	TG725D, 4-stroke	B&S XR950, 4-stroke
Net power	4.0 kW	4.0 kW	4.5 kW
Cylinder displacement	212 cc	212 cc	208 cc
Gears	1 forward + 1 reverse	1 forward + 1 reverse	1 forward + 1 reverse
Working width	36-55-85 cm	36-55-85 cm	36-55-85 cm
Working depth	33 cm	33 cm	33 cm
Blade rotation speed	110 rpm	110 rpm	110 rpm
Adjustable handle	-	•	•
Art. no.	90061198	90061298	90061249



ACCESSORIES: GARDEN TILLERS

		LILLI 3 SERIES EL-TEX 1800 BATTERY SERIES	LILLI 5 SERIES	TX SERIES	FX SERIES
HARROW Working width: 60 cm		-	Art. no. 91070000100 ⁽¹⁾	Art. no. 91070000100 ⁽¹⁾	Art. no. 90063188 (not correct photo)
TURNING PLOUGH		-	-	-	Art. no. 90063187
RIDGER		Art. no. 91032500100 ⁽⁵⁾	6" Art. no. 91060500100 ⁽²⁾	6" Art. no. 91060500100 ⁽²⁾	Art. no. 90063184
PLOUGH		-	6" Art. no. 91093000100 ⁽²⁾	6" Art. no. 91093000100 ⁽²⁾	Art. no. 90063185
LAWN SPIKER Working width: 66 cm		-	Art. no. 91051550105 ⁽³⁾	Art. no. 91051550105 ⁽³⁾	-
RAKE		55 cm Art. no. 91031100100 ⁽⁵⁾	80 cm Art. no. 91062500100 ⁽¹⁾	80 cm Art. no. 91062500100 ⁽¹⁾	-
POTATO PLOUGH		-	-	-	Art. no. 90063183
WEEDER		40 cm Art. no. 91031500100 ⁽⁵⁾	65 cm Art. no. 91061500100 ⁽¹⁾	65 cm Art. no. 91061500100 ⁽¹⁾	-
DOZER BLADE Working width: 75 cm		-	Art. no. 92000160100 ⁽⁴⁾	Art. no. 92000160100 ⁽⁴⁾	-
SIDE DISC (SET)		-	12" Art. no. 91061000100	12" Art. no. 91061000100	-
WHEELS (SET)		10" Art. no. 91032000100	12" Art. no. 91053000100	12" Art. no. 91053000100	-
EXTENSION TUBE		-	Art. no. 91095000100	Art. no. 91095000100	-
IRON WHEELS (SET)		-	12" Art. no. 91060700100	12" Art. no. 91060700100	Art. no. 90063186
ROTOR KNIFE (SET)		-	Art. no. 91050700100	Art. no. 91050700100	-
FRONT ATTACHMENT PLATE		-	Art. no. 91058000100	Art. no. 91058000100	-
REAR CONSOLE		-	Art. no. 91057000100	Art. no. 91057000100	-
SCARIFIER Working width: 55 cm		Art. no. 91033600100	-	-	-

1) Needs 12" wheels and rear console 2) Needs 12" wheels or iron wheels and rear console
3) Needs rear console 4) Needs front attachment plate and 12" wheels 5) Needs 10" wheels



LAWN MOWERS

Inhale the scent of freshly cut grass and feel the satisfaction of a job well done in mowing the lawn. Although mowing can be a tedious obligation, TEXAS can help make the work as enjoyable as savouring the result afterward.

Whether you prefer walking behind a lawn mower, sitting on your lawn tractor, or watching your robotic lawn mower do the work, TEXAS is here to assist. Look forward to envious glances from neighbours as you mow your lawn with a TEXAS.

WATCH OUR
VIDEOS



LAWN MOWING

The lawn mower is a 'must-have' for anyone with a lawn, and with TEXAS, you get Danish design and quality, plus more than 50 years of experience in producing lawn mowers. But perhaps you prefer sitting on a lawn tractor, or even just relaxing on the patio watching a robotic

lawn mower do all the work? With TEXAS, you have all the options – whatever suits your needs and preferences. Here's what you should consider when mowing your lawn.


USE	ROBOTS	ELECTRIC	GASOLINE 40-42 CM	GASOLINE 46-48 CM	GASOLINE 51-53 CM	RIDER 65 CM	RIDER 76 CM	TRACTOR 98-108 CM
Lawn up to 200 m ²	●	●	●	○	○	○	○	○
Lawn up to 400 m ²	●	●	●	●	●	○	○	○
Lawn up to 800 m ²	●	○	○	●	●	●	●	○
Lawn up to 1000 m ²	●	○	○	○	●	●	●	●
Lawn up to 2000 m ²	●	○	○	○	○	●	●	●
Lawn above 2000 m ²	○	○	○	○	○	○	●	●

3-IN-1

3-IN-1

4-IN-1

4-IN-1




1. MULCHING

With mulching, the grass is swirled around under the deck and cut into very small pieces, which then disappear into the lawn. Here, it decomposes and provides the grass with natural fertilizer. Mulching is suitable for ornamental lawns but requires regular mowing to be optimal.




2. REAR DISCHARGE

With rear discharge, the grass is thrown in a trail behind the lawn mower. This is particularly useful in places like summer houses, and when the grass is long. However, the grass should be raked and removed afterward, but this often is quicker than constantly emptying a collector.



3. REAR COLLECT

Mowing with collection means the grass is automatically gathered in the collector, making it easy to remove and leaving a tidy lawn without grass residue after mowing. The larger models come with a bigger collector, allowing you to mow for longer without stopping.



4. SIDE DISCHARGE

Side discharge on a lawn mower works similarly to rear discharge, but the grass is thrown through a hole in the side of the deck, spreading in a layer over the lawn. Side discharge is suitable for areas where grass is not mowed as frequently – such as at a summer house.



E-START BUTTON

Simply press a button, and the machine starts, eliminating the hassle of pull-starting with a recoil starter. The lawn mower has e-start if there is an 'E' in its product name.



HEIGHT ADJUSTMENT

Adjusting the cutting height is essential for a healthy and attractive lawn. With central height adjustment, you can easily raise or lower the cutting height to suit your lawn's needs with one handle.



SELF-PROPULSION

With rear wheel drive, you get a self-propelled lawn-mower, freeing you from the effort of pushing it around. The lawn mower is self-propelled if 'TR' is included in its product name.




LARGE REAR WHEELS

Large rear wheels make it much easier to manoeuvre the lawn mower, even on an uneven lawn. The lawn mower has large rear wheels if 'W' is included in its product name.




ROBOTIC MOWERS

Let TEXAS' robotic mower handle the grass cutting, and enjoy the freedom from mowing – and perhaps even achieving a nicer lawn. Design your own mowing schedule in the app and always stay in control, even while relaxing on the couch.




HEIGHT ADJUSTMENT

Use the button on the cover to adjust the cutting height between 20 and 60 mm as needed.



APP ON YOUR PHONE

Connect the robot to WiFi for full control at all times through an app on your phone.



PIVOTING BLADES

The three razor-sharp pivoting blades mulch your grass, allowing it to decompose in the lawn.



MULTI ZONE

Designate up to 4 starting points, ensuring the robot never misses even remote parts of your lawn.



	TMX 600	TMX 1000	TMX 1600	TMX 2000
Battery	20V / 2.5 Ah	20V / 5.0 Ah	20V / 5.0 Ah	20V / 5.0 Ah
Max capacity	600 m ²	1.000 m ²	1.600 m ²	2.000 m ²
Height adjustment	Central. 20-60 mm	Central. 20-60 mm	Central. 20-60 mm	Central. 20-60 mm
Cutting width	20 cm	20 cm	22 cm	22 cm
Blades	3 pcs. pivoting blades	3 pcs. pivoting blades	3 pcs. pivoting blades	3 pcs. pivoting blades
Operating time	60-90 min	120-180 min	120-180 min	180 min
Battery charging time	120 min	120 min	120 min	120 min
Level of noise	58 dB(A)	58 dB(A)	57 dB(A)	57 dB(A)
Incline	Max. 24°	Max. 24°	Max. 24°	Max. 24°
Incl.	130 m boundary cable + 180 pegs + 2 sets of extra blades + charging station	170 m boundary cable + 230 pegs + 2 sets of extra blades + charging station	200 m boundary cable + 280 pegs + 2 sets of extra blades + charging station	250 m boundary cable + 320 pegs + 2 sets of extra blades + charging station
Weight	8 kg	8.2 kg	10.6 kg	11 kg
Art. no.	90070241	90070243	90070245	90070247



ACCESSORIES

GARAGE ROOF
For TMX 600/1000



Art. no.
90070215

GARAGE ROOF
For TMX 1600/2000



Art. no.
90070216



ELECTRIC LAWN MOWERS

With a TEXAS electric lawn mower, you get an exceptionally user-friendly lawn mower. You avoid much engine maintenance, experience

fewer vibrations, and always have plenty of power from your cord, allowing you to mow even large areas, provided the cord is long enough.



	SMART 3200	TME 1600	SMART 4400
Engine	230V	230V	230V
Net power	1.2 kW	1.6 kW	1.8 kW
Starter	E-start	E-start	E-start
Driving	Push	Push	Push
Cutting width	32 cm	38 cm	44 cm
Functions	Rear discharge, rear collect	Mulching, rear discharge, rear collect	Mulching, rear discharge, rear collect
Height adjustment	By axle 3 pos. 25-65 mm	Central 6 pos. 25-75 mm	Central 7 pos. 20-75 mm
Collection volume	30 l	40 l	55 l
Wheels	140/165 mm	150/200 mm	165/250 mm
Cutting deck	Plastic	Plastic	Plastic
Weight	8 kg	13 kg	16.5 kg
Art. no.	90063150	90063151	90063162



RAZOR LAWN MOWERS

TEXAS' Razor series of lawn mowers offers a wide range of machines, from very simple models for the purist to larger models packed with extra features. Here, you'll also find our own strong and reliable TG-engines, as well as engines from Honda and Briggs & Stratton.

The series is characterized by its functional and practical design, like central height adjustment, mulching and collection capabilities, and foldable handlebars – everything you always need.



	RAZOR 5161TR/WE
Engine	TG580E
Net power	170 cc / 2.9 kW
Starter	Recoil + E-start
Driving	Self-propelled
Cutting width	51 cm
Functions	Mulching, rear discharge, rear collect, side discharge
Height adjustment	Central 6 pos. 28-75 mm
Collection volume	65 l
Wheels	8"/11"
Cutting deck	Steel
Weight	38.5 kg
Art. no.	9006618

RAZOR 5161TR/WE

The lawn mower Razor 5161TR/WE 4-Speed is an absolute top model for the discerning gardener who wants all features, plenty of engine power, and have high standards for their equipment.

Enjoy the ease of using the e-start, the self-propelled large rear wheels, and the option to choose from four driving speeds, ensuring a pace that suits you.

With 4-in-1 cutting, a wide cutting width, and central height adjustment, mowing has never been more comfortable. This quality lawn mower easily assists you in mowing even the largest lawns - turning the task into a pleasure.



	RAZOR 4210	RAZOR 4210TR
Engine	TG150	TG150
Net power	79.8 cc / 1.2 kW	79.8 cc / 1.2 kW
Starter	Recoil	Recoil
Driving	Push	Self-propelled
Cutting width	42 cm	42 cm
Functions	Mulching, rear discharge, rear collect	Mulching, rear discharge, rear collect
Height adjustment	Central 6 pos. 28-75 mm	Central 6 pos. 28-75 mm
Collection volume	45 l	45 l
Wheels	6"/7"	6"/7"
Cutting deck	Steel	Steel
Weight	24 kg	25 kg
Art. no.	90066518	90066519



	RAZOR 4611W	RAZOR 4611TR/W	RAZOR 4651TR/WE
Engine	TG480	TG480	TG480E
Net power	145 cc / 2.6 kW	145 cc / 2.6 kW	145 cc / 2.6 kW
Starter	Recoil	Recoil	Recoil + E-start
Driving	Push	Self-propelled	Self-propelled
Cutting width	46 cm	46 cm	46 cm
Functions	Mulching, rear discharge, rear collect	Mulching, rear discharge, rear collect, side discharge	Mulching, rear discharge, rear collect, side discharge
Height adjustment	Central 6 pos. 28-75 mm	Central 6 pos. 28-75 mm	Central 6 pos. 28-75 mm
Collection volume	65 l	65 l	65 l
Wheels	7"/10"	7"/10"	7"/10"
Cutting deck	Steel	Steel	Steel
Weight	30.5 kg	31 kg	34.6 kg
Art. no.	90066611	90066612	90066613



	RAZOR 5111WS	RAZOR 5121TR/W
Engine	TG480	TG580
Net power	145 cc / 2.6 kW	170 cc / 2.9 kW
Starter	Recoil	Recoil
Driving	Push	Self-propelled
Cutting width	51 cm	51 cm
Functions	Mulching, side discharge	Mulching, rear discharge, rear collect, side discharge
Height adjustment	Central 6 pos. 28-75 mm	Central 6 pos. 28-75 mm
Collection volume	-	65 l
Wheels	7"/10"	8"/11"
Cutting deck	Steel	Steel
Weight	24.8 kg	34 kg
Art. no.	90066610	90066615



	RAZOR 5151TR/WE	RAZOR 5181TR/WE	RAZOR 5191TR/W
Engine	TG580E	B&S DOV750EX	Honda GCV170
Net power	170 cc / 2.9 kW	161 cc / 2.6 kW	166 cc / 2.6 kW
Starter	Recoil + E-start	Recoil + E-start	Recoil
Driving	Self-propelled	Self-propelled, 4 gears	Self-propelled
Cutting width	51 cm	51 cm	51 cm
Functions	Mulching, rear discharge, rear collect, side discharge	Mulching, rear discharge, rear collect, side discharge	Mulching, rear discharge, rear collect, side discharge
Height adjustment	Central 6 pos. 28-75 mm	Central 6 pos. 28-75 mm	Central 6 pos. 28-75 mm
Collection volume	65 l	65 l	65 l
Wheels	8"/11"	8"/11"	8"/11"
Cutting deck	Steel	Steel	Steel
Weight	38 kg	41 kg	34.3 kg
Art. no.	90066617	90066619	90066620



PREMIUM LAWN MOWERS

TEXAS' innovative Premium series are lawn mowers developed for the discerning user. All models are loaded with extra of everything, featuring smart features and comfort as standard. They are equipped with the best engines – including TEXAS' V-series, as well as Briggs & Stratton and Honda engines.

Designed from the ground up for a fresh and smart look, the two large cutting decks of 48 and 53 cm are all engineered to enhance collection capability for all types of grass. You always get large rear wheels, central height adjustment, washout port, integrated lifting handle, 4-in-1 cutting function, and a new handlebar design with free passage between the handle tubes for easier emptying of the collector.



	PREMIUM 4820TR/W	PREMIUM 4850TR/WE	PREMIUM 5320TR/W
Engine	TG470V	TG470EV	TG670EV
Net power	139 cc / 2.3 kW	139 cc / 2.3 kW	196 cc / 3.6 kW
Starter	Recoil	Recoil + E-start	Recoil
Driving	Self-propelled	Self-propelled	Self-propelled
Cutting width	48 cm	48 cm	53 cm
Functions	Mulching, rear discharge, rear collect, side discharge	Mulching, rear discharge, rear collect, side discharge	Mulching, rear discharge, rear collect, side discharge
Height adjustment	Central 6 pos. 28-75 mm	Central 6 pos. 28-75 mm	Central 6 pos. 28-75 mm
Collection volume	65 l	65 l	65 l
Wheels	7"/10"	7"/10"	8"/11"
Cutting deck	Steel	Steel	Steel
Weight	35 kg	39 kg	42.5 kg
Art. no.	90066554	90066555	90066562



HONDA

	PREMIUM 5370TR/WE	PREMIUM 5390TR/W 4-SPEED
Engine	TG670EV	Honda GCV170
Net power	196 cc / 3.6 kW	166 cc / 2.4 kW
Starter	Recoil + E-start	Recoil
Driving	Self-propelled	Self-propelled, 4 gears
Cutting width	53 cm	53 cm
Functions	Mulching, rear discharge, rear collect, side discharge	Mulching, rear discharge, rear collect, side discharge
Height adjustment	Central 6 pos. 28-75 mm	Central 6 pos. 28-75 mm
Collection volume	65 l	65 l
Wheels	8"/11"	8"/11"
Cutting deck	Steel	Steel
Weight	42.5 kg	37.5 kg
Art. no.	90066564	90066567



ALUMINIUM CUTTING DECK

HONDA

	WLA 5321TR/W	WLA 5391TR/W
Engine	TG670V	Honda GCV200
Net power	196 cc / 3.6 kW	201 cc / 2.8 kW
Starter	Recoil	Recoil
Driving	Self-propelled	Self-propelled
Cutting width	53 cm	53 cm
Functions	Mulching, rear discharge, rear collect, side discharge	Mulching, rear discharge, rear collect, side discharge
Height adjustment	Central 8 pos. 15-80 mm	Central 8 pos. 15-80 mm
Collection volume	65 l	65 l
Wheels	8"/12"	8"/12"
Cutting deck	Aluminium	Aluminium
Weight	45 kg	45 kg
Art. no.	90066241	90066242



ZERO TURN LAWN MOWERS

Experience unique manoeuvrability with TEXAS' Zero Turn models, easily navigating around trees, flower beds, or curved lawn edges. The front of the lawn mower has a swivelling front wheel – which can

also be locked – allowing you to turn on the spot without tipping the lawn mower. Find models with either one swivelling front wheel or two, offering both incredible agility and stability in a lawn mower.



ZT 5110TR/WE

- 2 swivelling front wheels
- E-start button
- Comfort handle for height adjustment
- Washout port for easy cleaning of blade and cutting deck

	ZT 5110TR/W	ZT 5110TR/WE
Engine	TG670V	TG670EV
Net power	196 cc / 3.6 kW	196 cc / 3.6 kW
Starter	Recoil	Recoil + E-start
Driving	Self-propelled	Self-propelled
Cutting width	51 cm	51 cm
Functions	Mulching, rear discharge, rear collect	Mulching, rear discharge, rear collect
Height adjustment	6 pos. 28-75 mm	6 pos. 28-75 mm
Collection volume	65 l	65 l
Wheels	8"/11"	8"/11"
Cutting deck	Steel	Steel
Weight	40 kg	40.5 kg
Art. no.	90066588	90066589



	ZT 4275	ZT 4275TR
Engine	NP80	NP80
Net power	79 cc / 1.4 kW	79 cc / 1.4 kW
Starter	Recoil	Recoil
Driving	Push	Self-propelled
Cutting width	42 cm	42 cm
Functions	Mulching, rear discharge, rear collect, side discharge	Mulching, rear discharge, rear collect, side discharge
Height adjustment	6 pos. 25-75 mm	6 pos. 25-75 mm
Collection volume	45 l	45 l
Wheels	6"/8"	6"/8"
Cutting deck	Steel	Steel
Weight	19.4 kg	21.9 kg
Art. no.	90066255	90066256




	ZT 4675W	ZT 4675TR/W
Engine	RV145	RV145
Net power	145 cc / 2.5 kW	145 cc / 2.5 kW
Starter	Recoil	Recoil
Driving	Push	Self-propelled
Cutting width	46 cm	46 cm
Functions	Mulching, rear discharge, rear collect, side discharge	Mulching, rear discharge, rear collect, side discharge
Height adjustment	6 pos. 25-75 mm	6 pos. 25-75 mm
Collection volume	65 l	65 l
Wheels	7"/11"	7"/11"
Cutting deck	Steel	Steel
Weight	26.2 kg	28.1 kg
Art. no.	90066261	90066262



	ZT 512TR/W	ZT 514TR/W 4-SPEED	ZT 515TR/WE
Engine	TG670V	TG670V	TG670EV
Net power	196 cc / 3.6 kW	196 cc / 3.6 kW	196 cc / 3.6 kW
Starter	Recoil	Recoil	Recoil + E-start
Driving	Self-propelled	Self-propelled	Self-propelled
Cutting width	51 cm	51 cm	51 cm
Functions	Mulching, rear discharge, rear collect, side discharge	Mulching, rear discharge, rear collect, side discharge	Mulching, rear discharge, rear collect, side discharge
Height adjustment	6 pos. 30-80 mm	6 pos. 30-80 mm	6 pos. 30-80 mm
Collection volume	65 l	65 l	65 l
Wheels	7"/11"	7"/11"	7"/11"
Cutting deck	Steel	Steel	Steel
Weight	39 kg	40.5 kg	41.5 kg
Art. no.	90066601	90066602	90066603



TTS 108H



LAWN TRACTORS

For the garden owner with a large lawn, or for anyone who simply wants extra luxury, efficiency and power for mowing, TEXAS riders, Zero Turn riders and lawn tractors are the machines that meet all your wishes – and more.

Zero Turn riders and lawn tractors are the machines that meet all your wishes – and more.



RIDER

A TEXAS rider is the ideal solution for those who want both comfort and efficient mowing every time. From the seat, you can easily control the manoeuvrable, compact and user-friendly rider, while it provides a thorough cut of everything from ordinary lawns to large areas with tall grass.



ZERO TURN

No corner is too sharp, and no passage too narrow when you easily and elegantly manoeuvre around winding lawns or large grassy areas with beds and obstacles using a TEXAS Zero Turn rider. Our Zero Turn riders ensure fast and efficient mowing, plenty of comfort and no missed corners of the lawn.



LAWN TRACTOR

Choose a TEXAS lawn tractor and you will get plenty of power and comfort to mow both small and very large lawns – but you will also get much more than that. With a lawn tractor, you can use a wide range of accessories, allowing you to use your tractor for raking, scarifying, pulling a cart and much more.



MULTIPLE CUTTING WIDTHS

Meet your needs by choosing a model with a cutting width that perfectly suits your lawn.



ELECTROMAGNETIC BLADE ENGAGEMENT

A magnet activates and rotates the blades, offering quicker control and less wear on the engine (selected models).



HYDROSTATIC TRANSMISSION

With a continuously variable speed pedal, you easily change speed without needing to shift gears – like driving with automatic transmission (selected models).



DOUBLE BLADES

The lawn tractors feature dual blades, providing a neater cutting result than a single blade.

EPSILON SERIES

EPSILON ZERO TURN

With TEXAS' two Epsilon Zero Turn riders on battery power, you get an unmatched mowing experience where no corner is too tight, as the intuitive control levers let you manoeuvre with extreme precision and even turn on the spot. ZT10700Li has a 44 Ah battery and two blades with a total cutting width of 107 cm, while ZT13700Li comes with a 59.8 Ah battery, three blades with a total cutting width of 137 cm, and mows up to 16.000 m² per charge – and both models feature a 1200 W brushless engine dedicated to each blade, giving you high-performance cutting power.


You get 12 cutting heights ranging from 38 mm to 114 mm, the option for side discharge and mulching, 3 blade speeds, a driving speed of up to 11 km/h – and even the ability to mow while reversing.

From the comfortable seat, you have easy access to the handles, control panel, buttons, and display showing battery status, speed, and more. And a battery-powered Zero Turn rider requires minimal maintenance and produces less noise compared to a gasoline model, so you can truly enjoy mowing even the largest lawns with a TEXAS Epsilon Zero Turn rider.



	EPSILON ZT10700LI	EPSILON ZT13700LI
Engine	72V	72V
Battery	44 Ah Lithium	59.8 Ah Lithium
Max capacity	12.000 m ²	16.000 m ²
Recommended lawn area	10.000 m ²	14.000 m ²
Battery charging time	180 min	240 min
Gears	Forward 11.2 km/h + reverse 3 km/h	Forward 11.2 km/h + reverse 3 km/h
Cutting width	107 cm	137 cm
Blade height	12 pos. 38-114 mm	12 pos. 38-114 mm
Cutting system	Side discharge, mulching	Side discharge
Blades	2	3
Wheels	13"/20"	13"/20"
Art. no.	90070285	90070287

ACCESSORIES

GRASS CATCHER KIT for ZT10700LI 	Art. no. 90070286	GRASS CATCHER KIT for R7600LI 	Art. no. 90070282
MULCHING KIT for ZT13700LI 	Art. no. 90070288	GRASS CATCHER KIT for R9600LI 	Art. no. 90070284



ACCESSORIES



	EPSILON R7600LI	EPSILON R9600LI
Engine	72V	72V
Battery	24 Ah Lithium	27 Ah Lithium
Max capacity	3.000 m ²	4.000 m ²
Recommended lawn area	2.000 m ²	3.000 m ²
Battery charging time	90 min	100 min
Gears	Forward 11 km/h + reverse 3 km/h	Forward 11 km/h + reverse 3 km/h
Cutting width	76 cm	96 cm
Blade height	7 pos. 38-114 mm	7 pos. 38-114 mm
Cutting system	Side discharge, mulching	Side discharge, mulching
Blades	2	2
Wheels	15"/18"	15"/18"
Art. no.	90070281	90070283



USE		
	2000 M ²	2500 M ²
	3000 M ²	4000 M ²

Epsilon R9600Li: Tested at 10 cm to 3 cm with side discharge.



3-IN-1



	RIDER 6500E 3-IN-1
Engine	Loncin
Net power	4.5 kW
Cylinder displacement	224 cc
Gears	5 forward + 1 reverse
Starter	12V E-start
Cutting width	65 cm
Blade height	6 pos. 30-75 mm
Cutting system	Rear collect 150 l, side discharge, mulching
Blades	1
Wheels	13"/15"
Art. no.	90066494



RIDER 7600
Easy access to the engine



	RIDER 7600E 2-IN-1	RIDER 7600E 3-IN-1
Engine	Loncin	Loncin
Net power	8.0 kW	8.0 kW
Cylinder displacement	432 cc	432 cc
Gears	5 forward + 1 reverse	5 forward + 1 reverse
Starter	12V E-start	12V E-start
Cutting width	76 cm	76 cm
Blade height	6 pos. 30-76 mm	6 pos. 30-76 mm
Cutting system	Side discharge, mulching	Rear collect 170 l, side discharge, mulching
Blades	1	1
Wheels	10"/15"	10"/15"
Art. no.	90063123	90063120



	XC 140-98	XC 140-98H	XC 160-108	XC 160-108H
Engine	Loncin	Loncin	Loncin	Loncin
Net power	8.0 kW	8.0 kW	8.3 kW	8.3 kW
Cylinder displacement	432 cc	432 cc	452 cc	452 cc
Gears	5 forward + 1 reverse	Hydrostatic	5 forward + 1 reverse	Hydrostatic
Starter	12V E-start	12V E-start	12V E-start	12V E-start
Cutting width	98 cm	98 cm	108 cm	108 cm
Blade height	7 pos. 30-90 mm			
Cutting system	Side discharge, mulching	Side discharge, mulching	Side discharge, mulching	Side discharge, mulching
Blade engagement	Manual	Manual	Manual	Manual
Turning radius	45 cm	45 cm	45 cm	45 cm
Wheels	15"/18"	15"/18"	15"/18"	15"/18"
Art. no.	90063129	90063130	90063133	90063131



HYDROSTATIC GEARBOX
MADE IN USA



	TTS 98	TTS 98H	TTS 108	TTS 108H	TTC 102H
Engine	Loncin	Loncin	Loncin	Loncin	Loncin
Net power	7.5 kW	7.5 kW	7.8 kW	7.8 kW	7.8 kW
Cylinder displacement	432 cc	432 cc	452 cc	452 cc	452 cc
Gears	5 forward + 1 reverse	Hydrostatic	5 forward + 1 reverse	Hydrostatic	Hydrostatic
Starter	12V E-start	12V E-start	12V E-start	12V E-start	12V E-start
Cutting width	98 cm	98 cm	108 cm	108 cm	102 cm
Blade height	7 pos. 30-90 mm	7 pos. 30-90 mm			
Cutting system	Side discharge, mulching	Side discharge, mulching	Side discharge, mulching	Side discharge, mulching	Rear collect 245 l
Blade engagement	Electromagnetic	Electromagnetic	Electromagnetic	Electromagnetic	Electromagnetic
Turning radius	45 cm	45 cm	45 cm	45 cm	45 cm
Wheels	15"/18"	15"/18"	15"/18"	15"/18"	15"/18"
Art. no.	90063135	90063136	90063137	90063142	90063134

PT SERIES

PT LAWN TRACTOR SERIES

Experience new levels of power and comfort with TEXAS new PT series of lawn tractors. The series consists of three models, each offering optimal comfort when working as you sit in the luxurious seat with easy access to all levers and a user-friendly display behind the steering wheel showing operating time, blade speed, gear selection and much more.

You can easily handle even the largest lawns with the PT series – especially with the two large models. Both have a 2-cylinder 586 cc engine that gives you ample power to cut even tall and dense grass.

The hydrostatic gearbox works like an automatic transmission, and with a turning radius of just 60 cm, manoeuvring is effortless.

The three lawn tractors have cutting widths of 98, 102 or 108 cm, and with the option for mulching, side discharge and even a collector depending on the model, the PT series is ideal for both residential gardens and large properties. With a tow bar, the lawn tractors can also pull a cart or other accessories, so you can make full use of the PT series' power and comfort.

NEW



	PT 140-98H	PT 200-108H	PT 200-102H
Engine	Loncin	Loncin	Loncin
Net power	8.0 kW	10.8 kW	10.8 kW
Cylinder displacement	432 cc	586 cc	586 cc
Gears	Hydrostatic	Hydrostatic	Hydrostatic
Starter	12V E-start	12V E-start	12V E-start
Cutting width	98 cm	108 cm	102 cm
Blade height	6 pos. 30-90 mm	6 pos. 30-90 mm	6 pos. 30-90 mm
Cutting system	Side discharge, mulching	Side discharge, mulching	Rear collect 280 l, mulching
Blade engagement	Electromagnetic	Electromagnetic	Electromagnetic
Turning radius	60 cm	60 cm	60 cm
Wheels	15" / 18"	15" / 18"	15" / 18"
Collector box	-	-	280 l
Art. no.	90066412	90066415	90066416



TOW BAR INCLUDED



DIGITAL DISPLAY



LUXURY SEAT




ACCESSORIES: RIDER / LAWN TRACTOR

LAWN SPIKER
Working width: 120 cm



Art. no.
90053038

RAKE
Working width: 120 cm



Art. no.
90053039

LAWN SWEEPER
Working width: 96 cm
Capacity: 300 l.



Art. no.
90053031

LARGE DUMP CART
Capacity: 300 kg
Size: 154x95x35 cm



Art. no.
90053030

CENTRIFUGE SPREADER
Spreading width: Up to 2 m
Capacity: 60 l.



Art. no.
90053036

SMALL DUMP CART
Capacity: 150 kg
Size: 97x76x30 cm




Art. no.
90053034

SCARIFIER
Working width: 96 cm



Art. no.
90053033

COVER FOR RIDER / LAWN TRACTOR



Art. no.
40-11726



SCARIFIERS

In spring and fall, a TEXAS scarifier ensures your lawn has optimal growing conditions for grass to grow thick and tall. A scarifier creates grooves in the lawn, aerating the grass roots, while also pulling up moss and snow mold.

You'll also find 2-in-1 machines – scarifiers and moss removers - that either cut grooves with blades or just rake the moss on the surface with springs. And of course, at TEXAS, you'll find a scarifier in gasoline, battery, and electric options, ready to handle the work, whatever your preferred power source.

WATCH OUR
VIDEOS





	MPC 1400 2-IN-1	PRO CUT 411TG 2-IN-1
Engine	230V	TG725X
Net power	1.4 kW	4.0 kW
Cylinder displacement	-	212 cc
Working width	32 cm	40 cm
Working depth	-1.0 / +0.5 cm	-1.5 / +0.5 cm
Blade	Fixed	Fixed
Collection volume	35 l	45 l
Art. no.	90063153	90066493

USE	MPC 1400	PRO CUT 411TG	PRO CUT 461TG	PRO CUT 461B
Lawn up to 600 m ²	●	●	●	●
Lawn up to 1.000 m ²	○	●	●	●
Lawn above 1.000 m ²	○	○	●	●

+ ACCESSORIES: PRO CUT 461

SPRING ROLLER
52 springs



Art. no.
90061138



	PRO CUT 461TG	PRO CUT 461B
Engine	TG725	B&S XR950
Net power	4.0 kW	4.5 kW
Cylinder displacement	212 cc	208 cc
Working width	46 cm	46 cm
Working depth	-3.0 / +0.5 cm	-3.0 / +0.5 cm
Blade	Pivoting	Pivoting
Collection volume	-	-
Art. no.	90061139	90061140



LAWN EDGERS

Achieve a razor-sharp edge between your lawn and flower beds or your tiles with a lawn edger from TEXAS. Your garden will look impeccably neat when you've gone around it with one of our efficient lawn edgers, cutting off the very edge of the grass with sharp blades for a perfectly crisp perimeter.

You'll find models that easily handle small lawns and models that effortlessly manage the largest lawns – and you can even switch the blades for a brush, turning some of the lawn edgers into a weed cleaner.

WATCH OUR
VIDEOS





	EC 1400	EC 2600	EC 7900
Engine	230V	2-stroke	TG145, 4-stroke
Net power	1.4 kW	0.7 kW	1.4 kW
Cylinder displacement	-	26 cc	79.5 cc
Working depth	15-25-38 mm	10-20-30 mm	10-25-62 mm
Adjustable handle	•	•	•
Art. no.	90063069	90062059	90063097

+ ACCESSORIES: EC 1400 / EC 2600

STEEL BRUSH		Art. no. 90062064
NYLON BRUSH		Art. no. 90062054

USE	EC 1400	EC 2600	EC 7900
Lawn up to 600 m ²	●	●	●
Lawn up to 1.000 m ²	○	●	●
Lawn up to 2.000 m ²	○	○	●





WEED CLEANERS

It's an eyesore when weeds find their way between tiles. But with TEXAS' weed cleaners, weeds have met their match. The smaller battery and electric weed cleaners are user-friendly, easily tackling lighter weeds and moss with a steel brush – and are gentle on the tiles with a nylon brush.

Our gasoline-powered weed cleaner can even clear large areas quickly, where even the tougher weeds stand no chance. If you prefer to burn away the weeds, TEXAS' weed burner assists you, and with specific nozzles, it can be used on both tiles and in your flower beds.

WATCH OUR
VIDEOS



PRO WEED 710

- T-shaped handlebar can be adjusted up/down
- The protection screen increases safety
- Combined nylon and steel brushes

	PRO WEED 710
Engine	TG595, 4-stroke
Net power	2.9 kW
Cylinder displacement	173 cc
Driving	Push
Brush	Adjustable
Working width	70 cm
Art. no.	90061107



	WR 140	WRS 650 2-IN-1	WEED BURNER	WB 600
Engine	230V	230V	Engine	230V
Net power	0.14 kW	0.65 kW	Net power	2.0 kW
Adjustable handle	-	-	Front handle	Adjustable
Brush ø	100 mm	100 mm	Incl.	4 nozzles
Working width	5 mm	5/190 mm	Temp. up to	max. 650°C
Art. no.	90063076	90063149	Art. no.	90063087



ACCESSORIES: WR 140 / WRS 650

STEEL BRUSH		Art. no. 90063090
NYLON BRUSH		Art. no. 90063100



ACCESSORIES: PRO WEED 710

BRUSH SET Steel 6 pcs.		Art. no. 90061097
BRUSH SET Nylon/steel 9 pcs.		Art. no. 90061098



BRUSH CUTTERS

Get to grips with the bushes, trim them, or cut them down. At TEXAS, you'll find a wide range of powerful brush cutters and practical grass trimmers that easily help you clear the garden or provide the final touch, leaving no single grass blade growing wild.

TEXAS' grass trimmers are available in electric, battery, and gasoline models - and brush cutters in both battery and gasoline, where you can choose between a line or a blade for tougher tasks. Also, explore our combi machines, where you get a brush cutter, hedge trimmer, and chainsaw in one efficient machine.

WATCH OUR
VIDEOS



BRUSH CUTTER ACCESSORIES

The reason why TEXAS brush cutters are extremely useful garden machines for many kinds of work is the accessory pack. This allows you to upgrade your machine, making it more efficient and easier for you to trim the grass, or you can find a blade that suits your needs perfectly.

Additionally, you can also upgrade the harness, making your brush cutter even more comfortable to work with for a longer period without stopping.




3-TOOTH BLADE

The durable and practical 3-tooth blade, standard on all TEXAS brush cutters, is ideal for tougher tasks like clearing thickets and tall grass.



8-TOOTH BLADE

The robust metal blade with 8 sharp teeth is designed to handle denser, thicker vegetation like high, dense grass and larger bushes, effectively clearing them.



80T CIRCULAR SAW BLADE

The large, sharp 80-tooth blade can be fitted to TEXAS' brush cutters for easily clearing bushes and branches up to 3-4 cm thick.




LINE

The nylon line is perfect for trimming grass edges, and if the grass is too long. The LUX and PRO trimmer heads make it easier to insert new nylon line, and they are made of stronger materials.



WEED CLEANER

The long lines on our weed cleaner attachment make it incredibly easy to cut down weeds growing between tiles, while being gentle on the tiles themselves.



PROFESSIONAL HARNESS

The professional harness further supports your back and body when working with a brush cutter, as it effectively helps distribute the weight to your hips.



NYLON AND STEEL BRUSH

Two weed brushes for brush cutters in nylon and steel, respectively. The solid nylon brush is designed to remove moss and weeds from curbstones and your tiles – while being gentle on the surface. The steel brush, on the other hand, can leave marks on the tiles, but it is in return extremely powerful, more robust, and really effective at removing even the toughest weeds.




BC 425D

With TEXAS' semi-professional brush cutter BC 425D, you can feel the benefits of using a 4-stroke machine. Its engine has 42.5 cc with an output of 1.25 kW, offering a quieter and more comfortable operation with fewer vibrations than 2-stroke machines, which is extremely user-friendly for extended use.

With a 4-stroke engine, you also avoid the need to mix oil and gasoline, as they are added separately, enhancing the engine's fuel efficiency and long-term durability.

BC 425D also comes with a range of accessories for all tasks. It includes a 2-line trimmer head with a working width of 45 cm for grass, a 3-tooth blade with a 25 cm working width for tougher weeds, and an 80T circular saw blade for cutting bushes and medium-sized branches.

You also get a professional harness to support the brush cutter during work, protecting your back, and the shaft can be split in the middle for easier transportation and storage.




4-STROKE ENGINE



	BC 358D	BC 425D
Engine	4-stroke	4-stroke
Net power	1.0 kW	1.25 kW
Cylinder displacement	35.8 cc	42.5 cc
Functions	42 cm line. 25 cm blade	45 cm line. 25 cm blade
Trimmer head	Tap'n go	Tap'n go
Blade	3-Tooth + 80-Tooth	3-Tooth + 80-Tooth
Harness	Professional	Professional
Weight	8.2 kg	8.45 kg
Art. no.	90068140	90068138





	BCP 45K	BCP 53K
Engine	Kawasaki TJ45E, 2-stroke	Kawasaki TJ53E, 2-stroke
Net power	1.42 kW	2.0 kW
Cylinder displacement	45.4 cc	53.2 cc
Functions	48 cm line. 30 cm blade	48 cm line. 30 cm blade
Trimmer head	Tap'n go	Tap'n go
Blade	3-Tooth	3-Tooth
Harness	Professional	Professional
Weight	9.6 kg	10.2 kg
Art. no.	90066731	90066732



	BCU 33S	BCU 43S	BCU 43
Engine	2-stroke	2-stroke	2-stroke
Net power	0.9 kW	1.25 kW	1.25 kW
Cylinder displacement	33 cc	43 cc	43 cc
Functions	43 cm line. 25 cm blade	43 cm line. 25 cm blade	43 cm line. 25 cm blade
Trimmer head	Tap'n go	Tap'n go	Tap'n go
Blade	3-Tooth	3-Tooth	3-Tooth
Harness	Standard	Standard	Standard
Weight	7.7 kg	7.8 kg	7.8 kg
Art. no.	90067057	90067083	90067084

COMBI MACHINES

Attach a chainsaw, a hedge trimmer, or other accessories to our combi machines, with various motor power, to handle tougher tasks.



	PRO TRIM 100	SMART COMBI 100 5-IN-1
Engine	230V	230V
Net power	0.6 kW	0.9 kW
Cylinder displacement	-	-
Functions	30 cm line. plant guard	36 cm line. 25 cm blade. 25 cm chainsaw. 41 cm hedge trimmer. 55 cm extension pole
Trimmer head	Tap'n go	Tap'n go
Blade	-	3-Tooth
Harness	-	•
Weight	2.9 kg	2.5 kg (excl. accessories)
Art. no.	90068122	90068123




	BCU 33M 4-IN-1	BCU 43M 4-IN-1	BCU 52M 5-IN-1
Engine	2-stroke	2-stroke	2-stroke
Net power	1.0 kW	1.3 kW	1.45 kW
Cylinder displacement	33 cc	43 cc	52 cc
Functions	43 cm line. 25 cm blade. 25 cm chainsaw. 40 cm hedge trimmer	43 cm line. 25 cm blade. 25 cm chainsaw. 40 cm hedge trimmer	43 cm line. 25 cm blade. 25 cm chainsaw. 40 cm hedge trimmer
Trimmer head	Tap'n go	Tap'n go	Tap'n go
Blade	3-Tooth	3-Tooth	3-Tooth + 80-Tooth
Harness	•	•	•
Weight	5.5 kg (excl. accessories)	5.7 kg (excl. accessories)	6.1 kg (excl. accessories)
Art. no.	90067059	90067089	90067064



ACCESSORIES: BCU 33M / BCU 43M / BCU 52M

EXTENSION POLE

Length: 70 cm
Weight: 1.5 kg



Art. no.
90067063

SWEEPER

Length: 75 cm
Diameter: 24.5 cm
Working width: 60 cm
Weight: 1.5 kg



Art. no.
90067081

EDGER

Length: 76 cm
Diameter: 4 cm
Weight: 2.5 kg



Art. no.
90067080

BLOWER

Length: 75 cm
Weight: 0.5 kg



Art. no.
90067082

USE	PRO TRIM 600	PRO TRIM 600TR	PRO TRIM 610TR	CB 8700	CB 8750
Grass trimming	●	●	●	○	○
High grass	●	●	●	●	●
Uneven terrain	○	●	●	○	○



PRO TRIM

Forward trimmer head, which makes it very easy to trim around trees, along paths and hedges, and in uneven terrain



	PRO TRIM 600	PRO TRIM 600TR	PRO TRIM 610TR
Engine	TG595, 4-stroke	TG595, 4-stroke	TG595, 4-stroke
Net power	2.9 kW	2.9 kW	2.9 kW
Cylinder displacement	173 cc	173 cc	173 cc
Driving	Push	Self-propelled	Self-propelled
Cutting width	60 cm	60 cm	60 cm
Weight	33 kg	46 kg	46 kg
Art. no.	90061101	90061100	90061099



ACCESSORIES



	CB 8700	CB 8750
Engine	Loncin, 4-stroke	TG670, 4-stroke
Net power	2.5 kW	4.2 kW
Cylinder displacement	159 cc	196 cc
Driving	Self-propelled	Self-propelled
Cutting width	87 cm	87 cm
Cutting system	Single blade cut	Single blade cut
Art. no.	90063181	90066710

MULTI CUT 580

Handle the rough work with TEXAS' Multi Cut 580 grass cutter, which can effortlessly help you clear even large areas of tall and wild grass. The robust 4-stroke engine powers a fixed blade with a working width of 60 cm beneath the sturdy cutting shield, and it can handle both thick and old grass as well as self-growing weeds with stems up to 1 cm in diameter.

You can easily replace the swivelling front wheel with a spur, making it much easier to work in taller grass as it glides more smoothly forward. The cutting height can be adjusted between 40 and 90 mm, allowing you to easily manage and maintain even very overgrown areas with this semi-professional grass cutter.

Choose between two driving speeds and find a pace that suits both the conditions and your own speed, adjusting the handlebar height so you always work in a comfortable position with a good grip on the machine. The large rear wheels with ample tread provide plenty of traction when navigating through even wet and dense vegetation.

The Multi Cut 580 makes it easy for you to handle the rough work with tall and dense grass on even the largest areas.



HONDA

	MULTI CUT 610	MULTI CUT 580TG	MULTI CUT 580H
Engine	Loncin, 4-stroke	Loncin, 4-stroke	Honda GCV200
Net power	3.6 kW	4.5 kW	4.2 kW
Cylinder displacement	196 cc	224 cc	201 cc
Gears speed	Variable	1.8 / 3.0 km/h	1.8 / 3.0 km/h
Cutting width	61 cm	58 cm	58 cm
Cutting height	25-75 mm	40-90 mm	40-90 mm
Cutting system	Side discharge	Mulching	Mulching
Art. no.	90063180	90061165	90061166





ACCESSORIES: TRIMMERS & BRUSH CUTTERS

		PRO TRIM 100	PRO TRIM 600/600TR	BCU 335 BCU 43	BC 358D	BCP 5200	SMART COMBI 100	BCU 33M BCU 43M BCU 52M	COMBI 800 TRIMMER
1.6 MM TRIMMER LINE 15 M		Art. no. 5012-00	-	-	-	-	Art. no. 5012-00	-	-
2.4 MM TRIMMER LINE 15 M		-	-	Art. no. 5015-00	Art. no. 5015-00	Art. no. 5015-00	-	Art. no. 5015-00	-
2.4 MM TRIMMER LINE 90 M		-	-	Art. no. 62005240	Art. no. 62005240	Art. no. 62005240	-	Art. no. 62005240	-
4.0 MM 2 PCS. OF TRIMMER LINE 52 CM		-	Art. no. 438966	-	-	-	-	-	Art. no. 438966
4.0 MM ROLL OF LINE 2X10 M		-	Art. no. 423008	-	-	-	-	-	Art. no. 423008
WEED CLEANING HEAD		-	-	Art. no. 441124	Art. no. 441124	Art. no. 441124	-	Art. no. 441124	-
STEEL BRUSH 6"		-	-	Art. no. 40-11736	Art. no. 40-11736	Art. no. 40-11736	-	Art. no. 40-11736	-
STEEL BRUSH 8"		-	-	Art. no. 40-11737	Art. no. 40-11737	Art. no. 40-11737	-	Art. no. 40-11737	-
NYLON BRUSH 8"		-	-	Art. no. 40-11738	Art. no. 40-11738	Art. no. 40-11738	-	Art. no. 40-11738	-
TRIMMER HEAD STANDARD		-	-	Art. no. 451519	Art. no. 451519	Art. no. 451519	Art. no. 433936	Art. no. 451519	-
TRIMMER HEAD LUX		-	-	Art. no. 436546	Art. no. 436546	Art. no. 436546	-	Art. no. 436546	-
TRIMMER HEAD PRO (ALUMINIUM)		-	-	Art. no. 436547	Art. no. 436547	Art. no. 436547	-	Art. no. 436547	-
3-TOOTH BLADE METAL 25.4 MM HOLE		-	-	Art. no. 5603-250	Art. no. 5603-250	Art. no. 5603-250	-	Art. no. 5603-250	-
8-TOOTH BLADE METAL 25.4 MM HOLE		-	-	Art. no. 5608-250	Art. no. 5608-250	Art. no. 5608-250	-	Art. no. 5608-250	-
80-TOOTH CIRCULAR SAW BLADE METAL 25.4 MM HOLE		-	-	Art. no. 5680-250	Art. no. 5680-250	Art. no. 5680-250	-	Art. no. 5680-250	-
PROFESSIONAL HARNES		-	-	Art. no. 40-11710	Art. no. 40-11710	Art. no. 40-11710	-	Art. no. 40-11710	-



HEDGE TRIMMERS


If you want your hedge and bushes to look sharp and be a delight to the eye, TEXAS hedge trimmers, pruning shears and pruners will become your new favourites. Whether you trim every week, twice a year or just once annually, the right equipment with the right user-friendly features makes the job effortless.

The manual pruners are practical and easy to work with, the battery-powered pruning shears let you cut many thick branches without effort, and the hedge trimmers handle everything from small to large hedges – while the shrub shear is perfect for fine detailing.

WATCH OUR
VIDEOS



USE	HTG 360LI	HTL 2300
Privet, spirea etc.	●	●
Willow	○	●
Beech, elm etc.	○	●



	HTG 360LI	HTL 2300
Engine	3.6V / 1.3 Ah	2-stroke
Net power	-	22.5 cc / 0.65 kW
Cutting system	-	Dual cut
Blade length	12 cm	56 cm
Branch thickness	Max. 8 mm	Max. 28 mm
Weight	0.82 kg	5.2 kg
Art. no.	90063152	90067086



	GS 1680LI	GS 1680LI	GS 725LI
Engine	16.8V	16.8V	7.2V
Net power	2.0 Ah	2.0 Ah	2.0 Ah
Branch thickness	Max. 25 mm	Max. 25 mm	Max. 20 mm
Weight	0.9 kg	0.9 kg	1.75 kg
Incl.	2.0 Ah battery + charger + tools	2 x 2.0 Ah battery + charger + tools	2.0 Ah battery + charger
Art. no.	90063145	90063146	90063173

NEW



	PRUNER LUX	PRUNER PRO	LOPPER	WEED PULLER
Branch thickness	20 mm	24 mm	50 mm	-
Cutting system	Bypass	Bypass	Bypass	-
Handle	Softgrip	Softgrip	Softgrip	-
Blade	Non-stick	Non-stick	Non-stick	-
Art. no.	90063401	90063402	90063403	90063404



CHAINSAWS

A chainsaw is essential for tree maintenance and firewood preparation. TEXAS offers powerful and user-friendly chainsaws equipped with high-quality guide bars and chains from among others American brand Oregon.

Choose the model and guide bar length that suits your needs, whether it's for felling large trees or cutting logs into smaller pieces. We offer both one-handed and two-handed chainsaws with various practical and safety features for your convenience.

WATCH OUR
VIDEOS



XCS 4200

Make woodcutting and forestry a breeze with TEXAS' XCS 4200 chainsaw, a powerful all-rounder that combines lightweight design with plenty of cutting power. Whether you're cutting logs or felling large trees (except the biggest in the forest), this chainsaw has you covered.

Like all TEXAS chainsaws, it features a high-quality bar and chain from American brand Oregon. With a 40 cm (16") guide bar length and a chain speed of 23.1 m/s, the XCS 4200 is compact yet powerful for a wide range of tasks.



User-friendliness is a priority with features like a Japanese Walbro carburettor and 'easy start' for less resistance when pulling

the starter cord. Rubber fittings reduce vibrations, making it comfortable to work with.

The XCS 4200 comes with automatic chain lubrication, and the necessary tools you need to change the tension of the chain. The metal claw stop ensures stability during cutting, and the front guard also acts as a chain brake, stopping the chain rapidly in case of kickback.

Enjoy the pleasure of work with TEXAS' XCS 4200 chainsaw.

ACCESSORIES



	XCS 2600	XCS 4200	XCS 4500	XCS 5600
Engine	2-stroke	2-stroke	2-stroke	2-stroke
Net power	0.9 kW	1.6 kW	1.7 kW	2.35 kW
Cylinder displacement	26 cc	42 cc	45 cc	56 cc
Bar length	25 cm / 10"	40 cm / 16"	45 cm / 18"	50 cm / 20"
Chain type	91PJ040X	Tex-chain 250	Tex-chain 213	Tex-chain 280
Chain adjustment	Tools	Tools	Tools	Tools
Weight	3.9 kg	5.5 kg	6.7 kg	6.9 kg
Art. no.	90068149	90068145	90068146	90068147



	TS 4518	TS 5118	TS 5620
Engine	2-stroke	2-stroke	2-stroke
Net power	1.8 kW	2.1 kW	2.5 kW
Cylinder displacement	45 cc	51.5 cc	56.5 cc
Bar length	45 cm / 18"	45 cm / 18"	50 cm / 20"
Chain type	Tex-chain 213	Tex-chain 213	Tex-chain 280
Chain adjustment	Tools	Tools	Tools
Weight	6.5 kg	6.55 kg	6.9 kg
Art. no.	90067031	90067033	90067035



CHAINS	91PJ040X	TEX-CHAIN 213	TEX-CHAIN 250	TEX-CHAIN 280
Drive link thickness	1.3 mm	1.5 mm	1.3 mm	1.5 mm
Pitch	3/8H	.325"	3/8H	.325"
Drivelinks	40	72	57	78
File diameter	4.0 mm	4.8 mm	4.0 mm	4.8 mm
Art. no.	427124	40-213	40-250	40-280



ACCESSORIES

FILE SET 4 mm, 3/8"



Art. no.
90052297

PROTECTIVE TROUSERS L Class 1



Art. no.
40-11362

FILE SET 4.8 mm, 0.325"



Art. no.
90052298

PROTECTIVE TROUSERS XL Class 1



Art. no.
40-11360

SAFETY HELMET WITH HEARING PROTECTORS



Art. no.
40-11700

PROTECTIVE TROUSERS XXL Class 1



Art. no.
40-11361

CARRYING BAG FOR CHAIN SAW



Art. no.
90052290

TRANSPORT BASE FOR CHAIN SAW 38-58 cc



Art. no.
90067040

LOG SPLITTERS

Let TEXAS' log splitters and power saw handle the hard work when it's time to fill up the woodshed, as they quickly and easily assist in turning logs into firewood.



	POWER SPLIT 720V	POWER SPLIT 820V	POWER SPLIT 830V
Engine	230V	230V	400V
Net power	3.5 kW	3.5 kW	3.0 kW
Log diameter	8-35 cm	8-35 cm	8-35 cm
Working length	25-50 cm	25-50 cm	25-50 cm
Working position	Vertical	Vertical	Vertical
Capacity	7 ton	8 ton	8 ton
Transport wheels	Plastic	Rubber	Rubber
Art. no.	90052210	90052208	90052209



	SAW HORSE
Max capacity	50 kg
Unfolded (LxBxH)	66x65x91 cm
Folded (LxBxH)	66x11x101 cm
Weight	6.5 kg
Art. no.	90052299

	POWER SAW 1800
Engine	230V
Net power	1.8 kW
Blade diameter	400 mm
Max. log diameter	12 cm
Art. no.	90052213





SWEEPERS

TEXAS' sweepers are robust and practical machines that can be used year-round, whether you have large or small areas to maintain. In the fall, they quickly clear leaves and debris; in the winter, they effortlessly remove snow; and in the spring and summer, they efficiently clean even large areas from dirt.

Additionally, TEXAS' sweepers come with plenty of accessories to extend their usability for various tasks, whether it's removing moss from the lawn or using a collector box to easily and quickly gather all the material.


WATCH OUR
VIDEOS





	MS 550	MS 920	MS 950
Use	Indoor and outdoor	Indoor and outdoor	Indoor and outdoor
Driving	Push	Push	Push
Filter	-	Foam sponge	Polyester
Working width	55 cm	92 cm	95 cm
Height adjustment	Variable	Variable	Variable
Collection volume	25 l	40 l	45 l
Wheels	175 x 35 mm	300 x 55 mm	300 x 55 mm
Art. no.	90067067	90067068	90067066



+	ACCESSORIES	800	1000
		Art. no. 9006697	Art. no. 90066704
COLLECTOR BOX			
SNOW BRUSHES		Art. no. 90066701	Art. no. 90066702
DOZER BLADE		Art. no. 90066698	Art. no. 90066700

	SMART SWEEP 800	SMART SWEEP 800E	SMART SWEEP 1000	SMART SWEEP 1000E
Engine	TG570, 4-stroke	TG570E, 4-stroke	TG570, 4-stroke	TG570E, 4-stroke
Net power	3.6 kW	3.6 kW	3.6 kW	3.6 kW
Cylinder displacement	173 cc	173 cc	173 cc	173 cc
Gears	3 forward + 1 reverse			
Starter	Recoil	Recoil + 12V E-start	Recoil	Recoil + 12V E-start
Working width	80 cm	80 cm	100 cm	100 cm
Brush diameter	35 cm	35 cm	35 cm	35 cm
Art. no.	90066691	90066692	90066695	90066696

HANDY SWEEP 650TGE

TEXAS' Handy Sweep 650TGE is the perfect sweeper for keeping both small and large areas clean year-round, without breaking a sweat.

This compact yet highly efficient sweeper is powered by our own TEXAS TG725ES engine with 212 cc. You'll never experience starting difficulties since it has a 230V electric start, where you simply connect it to an outlet using an extension cord, and it starts with just a push of a button - so even in freezing temperatures, it starts effortlessly, and you can quickly get to work.

The Handy Sweep 650TGE features strong, rigid, and welded nylon brushes with a 60 cm working width, making it capable of handling large areas swiftly. When the snow falls, it becomes an efficient helper, capable of removing frosty snow up to 20 cm deep. Its wide, patterned tires provide excellent traction, even on slippery surfaces. As with all TEXAS products, user-friendliness is a priority. It offers 3 forward gears and 1 reverse, a handle for changing the sweeping direction between right and left, and a wide range of accessories, allowing you to use your Handy Sweep 650TGE for various tasks.



230V E-START

	HANDY SWEEP 650TG	HANDY SWEEP 650TGE
Engine	TG725S, 4-stroke	TG725ES, 4-stroke
Net power	212 cc / 4.0 kW	212 cc / 4.0 kW
Gears	3 forward + 1 reverse	3 forward + 1 reverse
Starter	Recoil	Recoil + 230V E-start
Working width	60 cm	60 cm
Brush diameter	35 cm	35 cm
Wheels	4.10 x 13	4.10 x 13
Art. no.	90067523	90067524



230V E-START

	HANDY SWEEP 710TG	HANDY SWEEP 710TGE
Engine	TG715S, 4-stroke	TG725ES, 4-stroke
Net power	208 cc / 4.0 kW	212 cc / 4.0 kW
Gears	3 forward + 1 reverse	3 forward + 1 reverse
Starter	Recoil	Recoil + 230V E-start
Working width	70 cm	70 cm
Brush diameter	35 cm	35 cm
Wheels	4.10 x 13	4.10 x 13
Art. no.	90067518	90067525



ACCESSORIES


	650	710		650/710	
COLLECTOR BOX		Art. no. 90228200100	Art. no. 90228100100	SNOW CHAINS (SET) FOR 4.10 X 13 WHEELS	 Art. no. 90228700100
DOZER BLADE		Art. no. 90228500100	Art. no. 90228600100	SCARIFIER	 Art. no. 90228300100
BRUSH SET 60/70 CM		Art. no. 440602	Art. no. 440603	LED TORCH incl. universal adapter and 230V charger - 270 lumen/5W	 Art. no. 90067095





COMBI 800

TEXAS walk behind multi machines are designed to be your all-in-one solution, where you choose from a wide range of accessories to fit your work. With a strong and smooth 4-stroke engine and multiple gears, the Combi 800 series provides power and versatility for year-round tasks.



COMBI 800

- 80 cm sweeping width
- 230V E-start on model 800TGE
- Easy connection system - without tools



230V E-START



	COMBI 800TG BASIC	COMBI 800TGE BASIC	COMBI 800B BASIC
Engine	TG725S, 4-stroke	TG725ES, 4-stroke	B&S XR950 series, 4-stroke
Net power	4.0 kW	4.0 kW	4.5 kW
Cylinder displacement	212 cc	212 cc	208 cc
Starter	Recoil	Recoil + 230V E-start	Recoil
Gears	4 forward + 1 reverse	4 forward + 1 reverse	4 forward + 1 reverse
Wheels	16" snow tyres	16" snow tyres	16" snow tyres
Art. no.	90068065	90068066	90068063



ACCESSORIES

TRIMMER

Working width: 60 cm
 Trimmer line: 4 mm
 Working height: 37-75 mm
 Adjustable: 3 pos.
 +30°/0°/-30°



Art. no.
90068086

COLLECTOR BOX

Volume: 95 l
 Width: 80 cm



Art. no.
93300200100

SWEEPER

Working width: 80 cm
 Diameter: 45 cm
 Adjustable: 3 pos.
 +22°/0°/-22°
 Brush speed: 400 rpm



Art. no.
90068076

DUMP CART

Volume: 200 l
 Max weight: 150 kg
 Size: 310x930x720 mm



Art. no.
90068075

DOZER BLADE

Working width: 80 cm
 Working height: 42 cm
 Adjustable: 3 pos.
 +22°/0°/-22°



Art. no.
90068078

SNOW CHAINS (SET)

4.80 x 8



Art. no.
90068079

ROTOR MOWER

Working width: 66 cm
 Cutting height: 10 cm



Art. no.
90068089

SNOW THROWER

Working width: 61 cm
 Working height: 55 cm
 Blow system: Adjustable
 2-stage system
 Rotations: 130 rpm
 Throwing distance: 8-15 m



Art. no.
90068074

**CLICK'N
GO**



1. Press down foot pedal



2. Remove accessorie



3. Attach new accessorie

TEXAS



PRO TRAC/SWEEP

TEXAS' Pro Trac is for those who demand the best equipment for maintaining large areas with a 420 cc 4-stroke engine, a vast range of accessories, and a quick tool-free attachment system.




CLICK'N GO




PRO TRAC

- Easy connection system
- Convenient position of all operation handles
- Reversible handlebars



PRO TRAC 1350BE BASIC

Engine	B&S 2100, 4-stroke
Net power	10.7 kW
Cylinder displacement	420 cc
Gears	3 forward + 3 reverse
Starter	Recoil + E-start
Fuel	Gasoline
Wheels	5.00 x 10
Art. no.	90061184



**ACCESSORIES****REAR TILLER**

Working width: 37-68 cm
 Rotations: 290 rpm
 Working depth: 16 cm



Art. no.
 90061180

SWEEPER

Working width: 100 cm
 Diameter: 55 cm
 Adjustable: 3 pos. +22°/0°/-22°
 Brush speed: 300 rpm



Art. no.
 90061187

HARROW

Working width:
 60 cm



Art. no.
 91070000100 ^(*)

COLLECTOR BOX

Volume: 240 l.
 For 100 cm sweeper



Art. no.
 90042504

TURNING PLOUGH

7"



Art. no.
 91076200100 ^(*)

DOZER BLADE

Working width: 100 cm
 Working height: 42 cm
 Adjustable: 3 pos. +22°/0°/-22°



Art. no.
 90061188

POTATO PLOUGH

Art. no.
 91061200100 ^(*)

RAKE

Working width:
 80 cm



Art. no.
 91062500100 ^(*)

WEEDER

Working width:
 65 cm



Art. no.
 91061500100 ^(*)

LED TORCH INCL. MOUNT AND CHARGER

Art. no.
 90067094

SCYTHE MOWER

Cutting width: 117 cm
 Cutting system:
 Dual cut



Art. no.
 90061190

REAR CONSOLE

Art. no.
 90061179

ROTOR MOWER

Working width: 66 cm
 Cutting height: 10 cm



Art. no.
 90061181

CART WITH SEAT

With tip function.
 Capacity: 300 kg
 Size: 154x95x35 cm



Art. no.
 90061193 ^(*)

^(*) Needs rear console



LEAF BLOWERS AND VACUUMS

With TEXAS leaf vac and blowers, fallen leaves can become an asset instead of a nuisance. Our powerful 2-in-1 machines can first blow them into place with hurricane force, and then suck them up through the shredder and into the collection bag with storm force. The shredded leaves can be used as mulch or compost, helping your garden winter with its own resources.

WATCH OUR VIDEOS



BVX 3000P

The TEXAS BVX 3000P is a luxurious electric version of a 2-in-1 leaf blower and vac, setting itself apart as a top model in the market. Physically larger than most other models, it offers a significantly more efficient suction thanks to its powerful 3000W motor.

You can easily switch between blowing at hurricane force and vacuuming with storm force using a small handle and adjust the speed to your needs. This prevents sucking up small stones or blowing away soil or mulch.

Additionally, it comes with a practical shoulder strap that distributes the weight of the BVX 3000P, making it comfortable to work with for extended periods. It also includes a handy nozzle with two support wheels for 'vacuuming' dry leaves.

The BVX 3000P's shredder features an efficient metal blade that breaks down all materials with a 10:1 ratio, making it ready to use as mulch or compost. With a collection volume of 45 Liters, you can work for a long time before needing to empty the machine.



NEW



2-IN-1

	BVX 3000P	BVA 2600	GBV 270
Engine	230V	230V	27.2 cc
Net power	3.0 kW	2.6 kW	0.8 kW
Collection volume	45 l	40 l	40 l
Air speed	100-270 km/h	250 km/h	250 km/h
Capacity	10-14 m ³ /min	12 m ³ /min	12 m ³ /min
Art. no.	90063178	90063177	90063179



SPREADERS

A spreader from TEXAS is an underrated garden equipment to have in your shed. It serves a purpose throughout the year, as it can help make your lawn green and tidy and ensure you don't slip when winter frost sets in.

In summer, it can ensure you evenly and generously distribute seeds or fertilizer on the lawn, promoting healthy growth. In winter, TEXAS spreaders quickly and effectively distribute gravel or salt on your driveway or sidewalk, eliminating slippery spots for you and pedestrians.

WATCH OUR
VIDEOS





	SMART SPREADER 100	SMART SPREADER 200
Capacity	12 l	25 l
Working width	45 cm	56 cm
Spreading method	Drop	Drop
Dispensing volume	Variable	Variable
Frame	Plastic	Steel
Weight	2 kg	8.6 kg
Art. no.	90063168	90051994




	CS 2500	CS 3600	CS 6000S
Capacity	25 l	36 l	58 l
Working width	Up to 2 m	Up to 2 m	Up to 3 m
Spreading method	Centrifuge	Centrifuge	Centrifuge
Dispensing volume	Variable	Variable	Variable
Frame	Steel	Steel	Rust proof steel
Weight	10 kg	9.7 kg	12.7 kg
Art. no.	90052014	90052017	90052018



MISCELLANEOUS



HOSE REELS	LUX 20M	LUX 25M	LUX 30M	LUX 35M	CABLE REEL	20M
Capacity	20 m	25 m	30 m	35 m	Fully reeled	Max 1000W
Pressure	8 bar	8 bar	8 bar	8 bar	Fully extended	Max 2500W
Temperature	-5 to 45°C	-5 to 45°C	-5 to 45°C	-5 to 45°C	Use	Indoor
Bracket	180°	180°	180°	180°	Bracket	180°
Rewind	Automatic	Automatic	Automatic	Automatic	Rewind	Automatic
Art. no.	90015540	90015541	90015542	90015539	Art. no.	90015536



HIGH-PRESSURE WASHERS

- 3-in-1 nozzle
- Storage for cord, hose, lance and spray gun



HIGH-PRESSURE WASHERS	HTR 1400	HTR 1600	HTR 1700
Engine	230V	230V	230V
Net power	1.4 kW	1.6 kW	1.7 kW
Capacity	330 l/h	390 l/h	420 l/h
Working pressure	70 bar	80 bar	90 bar
Max pressure	110 bar	120 bar	130 bar
Nozzles	20° / turbo / 0°	20° / turbo / 0°	20° / turbo / 0°
Art. no.	90063211	90063212	90063213



ACCESSORIES: HIGH-PRESSURE WASHERS

PATIO CLEANER PC1



Art. no.
90063216

PATIO CLEANER PC2 - adjustable



Art. no.
90063217

FIXED BRUSH



Art. no.
90063218

ROTARY BRUSH



Art. no.
90063219

90 DEGREE NOZZLE



Art. no.
90063220

DRAIN & PIPE CLEANER 10 m



Art. no.
90063221



PUMP	WP550E 2-IN-1	WP358D
Engine	230V	4-stroke
Net power	5.5 kW	35.8 cc / 0.9 kW
Capacity	10.500 l/h	12 m³/h
Incl.	10 m cable. 1/2" and 3/4" nozzles	Tools, funnel, filter, connectors
Weight	3.7 kg	7.3 kg
Art. no.	90063148	90068141

POTTED PLANT MOWER	
Capacity	60 kg
Driving	Push
Handle	Adjustable
Max pot diameter	50 cm
Pot height	25-75 cm
Art. no.	90063170



EARTH AUGERS	EA 1200	EA 5300
Engine	230V	2-stroke
Net power	1.2 kW	1.4 kW
Cylinder displacement	-	52 cc
Working depth	80 cm	80 cm
Max. auger size (ø)	150 mm	200 mm
Auger incl. (ø)	150 mm	-
Weight w/o auger	9 kg	9.1 kg
Art. no.	90063116	90063106

COMPRESSOR	TKP 2400
Engine	230V
Net power	1.2 kW
Air flow	206 l/min
Pressure	8 bar
Tank	24 l
Valves	2
Art. no.	90063118



ACCESSORIES: EARTH AUGERS

		EA 1200	EA 5300		EA 1200	EA 5300
AUGER Ø:100 mm		Art. no. 90063110	Art. no. 90063110	AUGER Ø:200 mm	-	Art. no. 90063112
AUGER Ø:150 mm		Art. no. 90063111	Art. no. 90063111	ICE AUGER Ø:200 mm	-	Art. no. 90063113
EKSTRA HANDLE For 2 persons handling		-	Art. no. 90063115	EXTENSION TUBE 40 cm	Art. no. 90063114	Art. no. 90063114



ACCESSORIES

With TEXAS' huge storage filled with spare parts, you can easily replace worn parts and use your TEXAS garden machine for a long time. The right accessories can also

minimize wear from time and weather. And they can simplify challenging tasks, like using our mix can to easily blend gasoline and oil correctly.

<p>COVER FOR SWEEPER/ SNOW THROWER</p>  <p>Art. no. 40-11757</p>	<p>LED TORCH incl. universal adapter and 230V charger - 270 lumen/5W</p>  <p>Art. no. 90067095</p>
<p>COVER FOR LAWN MOWER/TILLER</p>  <p>Art. no. 40-11720</p>	<p>SPARK PLUG WRENCH 19/21 mm</p>  <p>Art. no. 40-11291</p>
<p>COVER FOR RIDER/ LAWN TRACTOR</p>  <p>Art. no. 40-11726</p>	<p>MIX CANISTER 1 L for 2-stroke oil</p>  <p>Art. no. 501010</p>
<p>GLOVES Size 9 (12 set) Size 10 (12 set) Size 11 (12 set)</p>  <p>Art. no. 40-11743 40-11744 40-11745</p>	<p>MIX CANISTER 5 L for 2-stroke oil</p>  <p>Art. no. 501000</p>

MIX CANISTER

If you use a 2-stroke engine, it's crucial for its performance that you always mix oil and gasoline in the right proportions. Our mix can makes it simple.



MIX CANISTER 5 L
Art. no. 501000



Always select the side with the mixing ratio 1:40 (2.5%) for your TEXAS product.



Add oil to the desired marking: 1, 2, 3, 4, etc.



Turn the canister and add gasoline to the corresponding marking.



Shake the canister to mix the oil and gasoline well.

OIL CHANGING SET

4-stroke engines benefit from having their oil changed at least once a year. Using our oil change set saves you a lot of hassle and mess. Just do the following instead.



OIL CHANGING SET
Art. no. 40-11336



Insert the syringe into the engine and extract as much oil as possible.



Put the used oil in the provided bag.




Refill the engine with new engine oil and keep the empty container for next time.

WHICH OIL FITS YOUR MACHINE?

		GARDEN TILLERS	SWEEPERS/ COMBI 800	FX815TG/ PRO TRAC	4-STROKE BRUSH CUTTERS/ LAWN MOWERS	2-STROKE BRUSH CUTTERS/ HEDGE TRIMMERS	CHAINSAWS
SAE30 ENGINE OIL 0.6 L		Art. no. 90406507	Art. no. 90406507	Art. no. 90406507	Art. no. 90406507	-	-
2-STROKE OIL 0.1 L		-	-	-	-	Art. no. 90406520	Only gasoline Art. no. 90406520
2-STROKE OIL 1 L		-	-	-	-	Art. no. 90406522	Only gasoline Art. no. 90406522
CHAIN OIL 1 L		-	-	-	-	-	Art. no. 90406536
CHAIN OIL 4 L Biodegradable		-	-	-	-	-	Art. no. 90406534
GREASE EP-0 120 G		Art. no. 90406560	Art. no. 90406560	-	Art. no. 90406560	Art. no. 90406560	-
GREASE EP-1 400 G		Art. no. 90406565	Art. no. 90406565	-	Art. no. 90406565	Art. no. 90406565	-
GEARTEX EP-C SAE 80W-90 1 L		-	-	Art. no. 90306522	-	-	-
OIL CHANGING SET		Art. no. 40-11336	Art. no. 40-11336	Art. no. 40-11336	Art. no. 40-11336	-	-





TEXAS A/S | KNULLEN 22 | DK-5260 ODENSE S | DENMARK
TEL.: +45 6395 5555 | FAX: +45 6395 5558
EXPORT@TEXAS.DK | WWW.TEXAS-GARDEN.COM



Copyright © 2026 TEXAS A/S. All rights reserved.
The company cannot be held responsible for any printing errors, non-delivery, technical or design changes.

