

The logo for Precision features the word "Precision" in a bold, italicized, white sans-serif font. A red and white swoosh graphic arches over the text, starting from the top left of the 'P' and ending at the top right of the 'n'.

Precision

LAWN CARE PRODUCTS 2023

Tow Behind
SPREADERS

A decorative graphic at the bottom of the page features a red and black swoosh that frames a patch of green grass. The word "Precision" is written in a white, italicized, sans-serif font across the grass, with a small white swoosh above the letter 'i'.

Precision



ONE YEAR MANUFACTURER'S WARRANTY



200 LB. COMMERCIAL TOW BEHIND BROADCAST SPREADER • MODEL TBS7019

- Commercial or home use for serious lawn care customers
- Direct rod control
- Single hole design
- Sturdy steel frame and heavy duty plastic hopper
- Rain cover protects material from moisture
- 15" turf treaded Pneumatic tires

Capacity: 200 lbs.
Frame: 1-1/4" powder coated steel tubing
Gears: Durable metal with grease fitting
Spread Pattern: 10' – 12'

30 MINUTES



ASSEMBLES IN
30 MINUTES
OR LESS



Suitable for ATV's!





ONE YEAR MANUFACTURER'S WARRANTY



130 LB. COMMERCIAL TOW BEHIND BROADCAST SPREADER • MODEL TBS6500

- Commercial or home use for serious lawn care customers
- Direct rod control
- Single hole design
- Steel frame and heavy duty plastic hopper
- Rain cover protects material from moisture
- 15" turf tread Pneumatic tires

Capacity: 130 lbs.
Frame: 1" powder coated steel tubing
Gears: Durable metal with grease fitting
Spread Pattern: 10' – 12'

30 MINUTES



ASSEMBLES IN
30 MINUTES
OR LESS



Suitable for ATV's!



100 LB. COMMERCIAL TOW BEHIND BROADCAST SPREADER

• MODEL TBS10012PRO

- Commercial or home use for serious lawn care customers
- Direct rod control
- Single hole design
- Steel frame and heavy duty plastic hopper
- Rain cover protects material from moisture
- 12" Pneumatic tires handle rougher terrain

Capacity: 100 lbs.
Frame: 1" powder coated steel tubing
Gears: Durable metal with grease fitting
Spread Pattern: 10' – 12'

30 MINUTES



ASSEMBLES IN
30 MINUTES
OR LESS





ONE YEAR MANUFACTURER'S WARRANTY



100 LB. COMMERCIAL TOW BEHIND BROADCAST SPREADER • MODEL TBS10012

- Commercial or home use for serious lawn care customers
- Fingertip cable control
- Three hole design
- Steel frame and heavy duty plastic hopper
- Rain cover protects material from moisture
- 12" Pneumatic tires handle rougher terrain

Capacity: 100 lbs.
Frame: 1" powder coated steel tubing
Gears: Durable metal with grease fitting
Spread Pattern: 10' – 12'



30 MINUTES



**ASSEMBLES IN
30 MINUTES
OR LESS**





ONE YEAR MANUFACTURER'S WARRANTY



100 LB. TOW PRO TOW BEHIND BROADCAST SPREADER • MODEL TBS4500PRCGY

- For serious lawn care customers
- Fingertip cable control
- Three hole design
- Steel frame and heavy duty plastic hopper
- Rain cover protects material from moisture
- 10" Pneumatic tires

Capacity: 100 lbs.
Frame: 7/8" powder coated steel tubing
Gears: Durable metal with grease fitting
Spread Pattern: 10' – 12'



15 MINUTES



**ASSEMBLES IN
15 MINUTES
OR LESS**





ONE YEAR MANUFACTURER'S WARRANTY



75 LB. COMMERCIAL TOW BEHIND ATV BROADCAST SPREADER

● MODEL TBS4019

- Commercial or home use for serious lawn care customers
- Direct rod control
- Single hole design
- Steel frame and heavy duty plastic hopper
- Rain cover protects material from moisture
- 10" Pneumatic tires handle rougher terrain

Capacity: 75 lbs.
Frame: 7/8" powder coated steel tubing
Gears: Durable metal with grease fitting
Spread Pattern: 10' – 12'



30 MINUTES



**WELDED BED AND
ASSEMBLES IN
30 MINUTES OR LESS**





ONE YEAR MANUFACTURER'S WARRANTY



75 LB. TOW BEHIND BROADCAST SPREADER • MODEL TBS4000PRCGY

- For serious lawn care customers
- Fingertip cable control
- Three hole design
- Steel frame and heavy duty plastic hopper
- Rain cover protects material from moisture
- 10" Pneumatic tires

Capacity: 75 lbs.
Frame: 7/8" powder coated steel tubing
Gears: Self-lubricating nylon
Spread Pattern: 10' – 12'

15 MINUTES



**WELDED BED AND
ASSEMBLES IN
15 MINUTES OR LESS**



Walk Behind
SPREADERS

A decorative graphic at the bottom of the page features a red and black swoosh that frames a patch of green grass. The word "Precision" is written in a white, italicized, sans-serif font with a black outline, positioned centrally over the grass.

Precision



ONE YEAR MANUFACTURER'S WARRANTY



130 LB. COMMERCIAL WALK BEHIND BROADCAST SPREADER • MODEL SBS6500

- Commercial or home use for serious lawn care customers
- Direct rod control
- Single hole design
- Steel frame and heavy duty plastic hopper
- Rain cover protects material from moisture
- 15" turf tread pneumatic tires

Capacity: 130 lbs.
Frame: 1" powder coated steel tubing
Gears: Durable metal with grease fitting
Spread Pattern: 10' – 12'



30 MINUTES



ASSEMBLES IN
30 MINUTES
OR LESS





ONE YEAR MANUFACTURER'S WARRANTY



130 LB. COMMERCIAL WALK BEHIND ATV BROADCAST SPREADER

● MODEL SB6000RD

- Commercial or home use for serious lawn care customers
- Fingertip cable control
- Three hole design
- Steel frame and heavy duty plastic hopper
- Rain cover protects material from moisture
- 15" turf tread Pneumatic tires

Capacity: 130 lbs.
Frame: 1" powder coated steel tubing
Gears: Durable metal with grease fitting
Spread Pattern: 10' – 12'



30 MINUTES



**ASSEMBLES IN
30 MINUTES
OR LESS**





ONE YEAR MANUFACTURER'S WARRANTY



100 LB. COMMERCIAL WALK BEHIND BROADCAST SPREADER

- **MODEL SB10012PRO**
- Commercial or home use for serious lawn care customers
- Direct rod control
- Single hole design
- Steel frame and heavy duty plastic hopper
- Rain cover protects material from moisture
- 12" Pneumatic tires handle rougher terrain

Capacity: 100 lbs.
Frame: 1" Powder coated steel tubing
Gears: Durable metal with grease fitting
Spread Pattern: 10'– 12'



30 MINUTES



**ASSEMBLES IN
30 MINUTES
OR LESS**





ONE YEAR MANUFACTURER'S WARRANTY



100 LB. TOW PRO WALK BEHIND BROADCAST SPREADER

• MODEL SB4500PRCGY

- For serious lawn care customers
- Fingertip cable control
- Three hole design
- Steel frame and heavy duty plastic hopper
- Rain cover protects material from moisture
- 10" Pneumatic tires

Capacity: 100 lbs.
Frame: 7/8" powder coated steel tubing
Gears: Durable metal with grease fitting
Spread Pattern: 10' – 12'



5 MINUTES



**ASSEMBLES IN
5 MINUTES
OR LESS**





ONE YEAR MANUFACTURER'S WARRANTY



75 LB. WALK BEHIND BROADCAST SPREADER • MODEL SB4000PRCGY

- For serious lawn care customers
- Fingertip cable control
- Three hole design
- Steel frame and heavy duty plastic hopper
- Rain cover protects material from moisture
- 10" Pneumatic tires

Capacity: 75 lbs.
Frame: 7/8" powder coated steel tubing
Gears: Self-lubricating nylon
Spread Pattern: 10' – 12'



5 MINUTES



**ASSEMBLES IN
5 MINUTES
OR LESS**






ONE YEAR MANUFACTURER'S WARRANTY



80 LB. WALK BROADCAST SPREADER • MODEL SB4020RD

- For serious lawn care customers
- Fingertip cable control
- Three hole design
- Steel frame and heavy duty plastic hopper
- 10" poly wheels

Capacity: 80 lbs.
Frame: 7/8" powder coated steel tubing
Gears: Self-lubricating nylon
Spread Pattern: 8' -10'



2 pk. display box for easy merchandising

3 MINUTES



**ASSEMBLES IN
3 MINUTES
OR LESS**





ONE YEAR MANUFACTURER'S WARRANTY



75 LB. DROP SPREADER • MODEL DS4500RDGY

- Ideal for controlled applications and small yards
- Powder coated steel frame
- Polypropylene rust-proof heavy duty hopper
- Fingertip cable control
- U-Handle with comfort foam grip and fingertip control
- Drop spread pattern with 19" swath

Capacity: 75 lbs. / 1,500 Cu In.
Frame Description: 7/8" Powder coated steel tubing
Body Design: Heavy duty plastic
Wheels: 12" High strength plastic poly wheels
Spread: 19"



FULLY ASSEMBLED –
NO TOOLS REQUIRED



Handheld
SPREADERS

A decorative graphic at the bottom of the page features a red and black swoosh that frames a patch of green grass. The word "Precision" is written in white, italicized font across the grass, with a small white swoosh above the letter 'i'.

Precision



ONE YEAR MANUFACTURER'S WARRANTY

HANDHELD BROADCAST SPREADER (6 PK) • MODEL HHBS -125

- Light weight heavy duty plastic body
- Ergonomically designed handle
- 6 Lbs. of pelletized material / 3 lbs. grass seed
- Scoop for easy filling
- Ideal for small lawns, hills, uneven ground and wet terrain
- Spread pattern up to 6' to 12'
- Adjustable flow rate
- Scoop for easy filling & pouring of material

Capacity: 6 lbs. pelletized material or 3 lbs. grass seed
Body Design: Heavy duty plastic
Swath: 6' – 12'
Control/Engagement: Fingertip slide control
Handle: Large hand grip with fingertip slide control
Gears: Heavy duty plastic



FULLY ASSEMBLED –
NO TOOLS REQUIRED





ONE YEAR MANUFACTURER'S WARRANTY

20 LB. NYLON BAG BROADCAST SEEDER • MODEL SS100

- Nylon zippered top
- Heavy duty plastic body
- Adjustable shoulder strap
- Nylon gears with a oscillating agitator
- Ideal for small lawns, hills, uneven ground and wet terrain.
- Spread pattern up to 8' to 12'
- Spring action rate setting control
- Adjustable flow rate

Capacity: 20 lbs.
Body Design: Nylon bag
Hardware: Yellow dichromate finished
Swath: 8' – 12'
Gears: Nylon



FULLY ASSEMBLED –
NO TOOLS REQUIRED



LAWN ROLLERS

A decorative graphic at the bottom of the page features a green grassy field. The field is framed by a thick, curved border that is red on the outside and black on the inside. The word "Precision" is written in a white, italicized, sans-serif font with a black outline, positioned in the center of the grassy area. A small white swoosh underline is positioned above the letters "sion".

Precision

18" x 24" PUSH/PULL POLY LAWN ROLLER • MODEL PLR1824

- 18" x 24" lawn roller; push or pull for multiple uses
- All steel frame
- Roll to flatten sand, gravel, dirt, and more
- 26 gallon capacity provides plenty of weight; side molded spokes with rounded edges to prevent lawn tear
- Scraper bar prevents soil accumulation on the drum
- Poly roller drum is durable, long-lasting

Capacity: 26 gallons or 221 lbs.
Frame: 1/4" powder coated steel
Drum: Heavy duty poly



**T-HANDLE OPTION
FOR WALK BEHIND
USE INCLUDED!**

15 MINUTES



**ASSEMBLES IN
15 MINUTES OR LESS**





ONE YEAR MANUFACTURER'S WARRANTY



18" x 36" TOW POLY LAWN ROLLER • MODEL PLR1836

- 18" x 36" lawn roller
- All steel frame
- Roll to flatten sand, gravel, dirt, and more
- 40 gallon capacity provides plenty of weight; side molded spokes with rounded edges to prevent lawn tear
- Scraper bar prevents soil accumulation on the drum
- Poly roller drum is durable, long-lasting

Capacity: 40 gallons or 331 lbs.
Frame: 1/4" powder coated steel
Drum: Heavy duty poly



15 MINUTES



**ASSEMBLES IN
15 MINUTES OR LESS**





ONE YEAR MANUFACTURER'S WARRANTY



18" x 48" TOW POLY LAWN ROLLER • MODEL PLR1848

- 18" x 48" lawn roller
- All steel frame
- Roll to flatten sand, gravel, dirt, and more
- 53 gallon capacity provides plenty of weight; side molded spokes with rounded edges to prevent lawn tear
- Scraper bar prevents soil accumulation on the drum
- Poly roller drum is durable, long-lasting

Capacity: 53 gallons or 480 lbs.
Frame: 1/4" powder coated steel
Drum: Heavy duty poly
Hardware: Hitch pin included



15 MINUTES



**ASSEMBLES IN
15 MINUTES OR LESS**



LAWN SWEEPERS

A decorative graphic at the bottom of the page features a green grassy field. The field is framed by a thick, curved border that is red on the outside and black on the inside. The word "Precision" is written in a white, italicized, sans-serif font with a black outline, positioned in the center of the grassy area. A small white swoosh underline is positioned above the end of the word.

Precision



ONE YEAR MANUFACTURER'S WARRANTY

38" LAWN SWEEPER • MODEL LSP38

- Rust resistant powder coated steel tube frame
- Easy dump feature right from the tractor seat
- Extra large breathable catch bag
- Multiple height hitch
- Easy to adjust brush height
- Strong brushes for making cleanup easier than raking

Capacity: 12 Cu. Ft. of material
Body Design: Steel
Spread: 38"
Wheels: 10" semi-pneumatic wheels
with bronze bushings
Gear Ratio: 5:1

30 MINUTES



**ASSEMBLES IN
30 MINUTES
OR LESS**





ONE YEAR MANUFACTURER'S WARRANTY

48" LAWN SWEEPER • MODEL LSP48

- Rust resistant powder coated steel tube frame
- Easy dump feature right from the tractor seat
- Extra large breathable catch bag
- Multiple height hitch
- Easy to adjust brush height
- Strong brushes for making cleanup easier than raking

Capacity: 15 Cu. Ft. of material
Body Design: Steel
Spread: 48"
Wheels: 10" semi-pneumatic wheels with bronze bushings
Gear Ratio: 5:1



30 MINUTES



ASSEMBLES IN
30 MINUTES
OR LESS



DETHATCHERS

A decorative graphic at the bottom of the page features a green grass field. The field is framed by a thick, curved border that is red on the outside and black on the inside. The word "Precision" is written in a white, italicized, sans-serif font with a black outline, positioned in the center of the grass field. A small white swoosh underline is positioned above the end of the word.

Precision




ONE YEAR MANUFACTURER'S WARRANTY



40" DETHATCHER • MODEL TT500

- All steel frame
- 75 lb. capacity weight tray for added thatch penetration
- Add or subtract weight for desired soil penetration
- 18 durable spring tines for easy thatch removal
- Simple to use cantilever handle for raising and lowering from your tractor seat

Tray Capacity: 75 lbs.
Body: 15 gauge steel tray
Spread: 40"
Tines: 18 heat treated tines
Wheels: 7" semi-pneumatic wheels



30 MINUTES



**ASSEMBLES IN
30 MINUTES OR LESS**





ONE YEAR MANUFACTURER'S WARRANTY



42" DETHATCHER • MODEL DT42GY

- All steel frame
- 150 lb. capacity weight tray for added thatch penetration
- Add or subtract weight for desired soil penetration
- 22 durable spring tines for easy thatch removal
- Simple to use cantilever handle for raising and lowering from your tractor seat

Tray Capacity: 150 lbs.
Body: 15 gauge steel
Spread: 42"
Tines: 22 heat treated tines
Wheels: 7" semi-pneumatic wheels



30 MINUTES



**ASSEMBLES IN
30 MINUTES OR LESS**



AERATORS

A decorative graphic at the bottom of the page features a red and black swoosh that frames a patch of green grass. The word "Precision" is written in a white, italicized, sans-serif font with a black outline, positioned centrally over the grass.

Precision



ONE YEAR MANUFACTURER'S WARRANTY



40" SPIKE AERATOR • MODEL TA500

- All steel frame
- 100 lb. capacity weight tray for added soil penetration
- Add or subtract weight for desired soil penetration
- 132 durable spiking tips for soil penetration
- Simple to use cantilever handle for raising and lowering from your tractor seat

Tray Capacity: 100 lbs.
Body: 12 gauge steel
Swath: 40"
Tines: 132 heat treated Spiking tips
Wheels: 7" semi-pneumatic

30 MINUTES



**ASSEMBLES IN
30 MINUTES OR LESS**





ONE YEAR MANUFACTURER'S WARRANTY



40" PLUG AERATOR • MODEL PA500

- All steel frame
- 100 lb. capacity weight tray for added soil penetration
- Add or subtract weight for desired soil penetration
- 32 durable plugging spoons for soil penetration
- Simple to use cantilever handle for raising and lowering from your tractor seat

Tray Capacity:	100 lb.
Tray:	11 gauge steel tray
Swath:	40"
Tines:	32 heat treated plugging spoons
Wheels:	7" semi-pneumatic
Hitch:	Clevis hitch with pin
Control/Engagement:	Single lever



30 MINUTES



**ASSEMBLES IN
30 MINUTES OR LESS**





ONE YEAR MANUFACTURER'S WARRANTY



42" SPIKE AERATOR • MODEL SA42GY

- All steel frame
- 175 lb. capacity weight tray for soil penetration up to 2 inches
- Add or subtract weight for desired soil penetration
- 144 durable spiking tips for soil penetration
- Simple to use cantilever handle for raising and lowering from your tractor seat

Tray Capacity: 175 lb.
Body: 11 gauge steel
Swath: 42"
Tines: 144 heat treated spiking tips
Wheels: 10" solid rubber wheels

30 MINUTES



**ASSEMBLES IN
30 MINUTES OR LESS**





ONE YEAR MANUFACTURER'S WARRANTY



42" PLUG AERATOR • MODEL PA42GY

- All steel frame
- 150 lb. capacity weight tray for added soil penetration
- Add or subtract weight for desired soil penetration
- 32 durable plugging spoons for soil penetration
- Simple to use cantilever handle for raising and lowering from your tractor seat

Tray Capacity: 150 lbs.
Body: 11 gauge steel
Swath: 42"
Plugs: 32 large heat treated plugging spoons
Wheels: 10" pneumatic



30 MINUTES



**ASSEMBLES IN
30 MINUTES OR LESS**






ONE YEAR MANUFACTURER'S WARRANTY



HEAVY-DUTY DRAG HARROW • MODEL H2000

- Perfect for leveling plots, breaking up soil, and grading pastures
- Heavy duty design
- Perfect leveling gravel driveways
- Can be used with ATV's, UTV's, and utility tractors
- Tow bar can be flipped over for less aggressive dragging

Size: 5' x 5'
Tines: 107 heavy duty tines.
Material: Steel
Towing: Ring fits over any 2" trailer ball



FULLY ASSEMBLED –
NO TOOLS REQUIRED






ONE YEAR MANUFACTURER'S WARRANTY



DRAG HARROW/RAKE LAKE • MODEL H1000

- Perfect for leveling soil, and grading driveways
- Increase weight with blocks for different ground types
- Easy to use and store
- Can be used with ATV's, UTV's, and utility tractors
- Tow bar can be flipped over for less aggressive dragging

Size: 4' x 5'
Material: Steel
Towing: Ring fits over any 2" trailer ball



FULLY ASSEMBLED –
NO TOOLS REQUIRED





ONE YEAR MANUFACTURER'S WARRANTY



DISK HARROW • MODEL DC1200

- Breaks up rough ground, plows ground effortlessly
- Multiple disc settings based on size of clods and soil
- Tray accommodates additional weight to break up hard soil
- Adjustable width
- Two can be assembled to work together as tandem unit

Adjustments: 10, 15, or 20 degree settings.
Disc diameter: 11"
Frame: Steel
Number of discs: 8
Universal fit: Easily attaches to UTV's, ATV's and tractors



FULLY ASSEMBLED –
NO TOOLS REQUIRED



GARDEN & LAWN CARTS

A decorative graphic at the bottom of the page features a green grassy field with a red and black swoosh border. The word "Precision" is written in a white, italicized font with a black outline, positioned centrally over the grass.

Precision



ONE YEAR MANUFACTURER'S WARRANTY



1000 LB. GARDEN CART • MODEL GC1000

- Easy pull garden cart
- Heavy duty poly cart
- Can be modified to attach cart to tractor or ATV/UTV
- Powder coated frame
- Spring handle to keep handle off the ground and east to access

Capacity: 1000 lbs. / 10 Cu. Ft. of material
Body: Heavy duty poly
Wheels: 10" pneumatic wheels



15 MINUTES



**ASSEMBLES IN
15 MINUTES
OR LESS**





ONE YEAR MANUFACTURER'S WARRANTY



650 LB. GARDEN CART • MODEL GC650

- Versatile cart for working in yard, moving wood, and hauling gear
- Easy assembly and storage
- High dump angle
- Narrow turn radius to easily work around tight spaces in gardens and work areas

Capacity: 650 lbs. / 10 Cu. Ft.
Frame Description: Powder coated steel
Body Design: Heavy duty poly
Wheels: 16" pneumatic wheels



30 MINUTES



**ASSEMBLES IN
30 MINUTES OR LESS**





ONE YEAR MANUFACTURER'S WARRANTY



600 LB. MIGHTY GARDEN/YARD DUMP CART • MODEL LC2000

- Easy to maneuver with tight-turning steering
- Durable, sturdy poly tub is easy to clean and won't rust
- Balanced 4-wheel stability makes it able to tackle heavy landscaping projects or garden projects
- 10" pneumatic tires to tackle any terrain
- Steel frame with additional support brackets for added weight capacity
- Easy release handle for easy dumping
- 600 lb. hauling capacity, perfect for the casual gardener or the lawn professional

Capacity: 600 lbs. / 4 Cu. Ft.
Frame Description: 7/8" powder coated steel tubing
Body Design: Heavy duty poly
Wheels: 10" steel hubs with pneumatic wheels



30 MINUTES



**ASSEMBLES IN
30 MINUTES
OR LESS**



DROP SIDED NURSERY CART • MODEL NCDS1000

- Made of durable steel with powder coated mesh bed
- Folding, removable sides for versatile for a multitude of items
- Durable construction made to handle heavy loads
- Narrow turn radius to easily work around tight spaces in gardens and work areas
- Convertible handle for pull/tow option
- Capable of attaching multiple units

Capacity: 650 Lbs. / 4 Cu. Ft.
Frame: Powder coated steel tubing
Body Design: Wire mesh
Wheels: 10" steel hubs with pneumatic wheels
Handle: Convertible



30 MINUTES



**ASSEMBLES IN
30 MINUTES
OR LESS**





ONE YEAR MANUFACTURER'S WARRANTY



300 LB. 16" CAPACITY WOODEN GARDEN CART • MODEL WC07

- Removable front for easy dumping and filling
- Semi-pneumatic tires for rough terrain
- Durable construction made to handle heavy loads
- Versatile enough to fit through 31" doorways

Capacity: 300 lbs.
Bed: Treated wood with aluminum
Frame: Powder coated steel tube frame
and solid steel axle
Wheels: 16" pneumatic with steel wheels
Special Feature: Removable front



30 MINUTES



**ASSEMBLES IN
30 MINUTES
OR LESS**





ONE YEAR MANUFACTURER'S WARRANTY



400 LB. 20" CAPACITY WOODEN GARDEN CART • MODEL WC14

- Removable front for easy dumping and filling
- Durable construction made to handle heavy loads
- Semi-pneumatic tires for rough terrain

Capacity: 400 lbs.
Bed: Treated wood with aluminum
Frame: Powder coated steel tube frame
and solid steel axle
Wheels: 20" pneumatic with steel wheels
Special Feature: Removable front



30 MINUTES



**ASSEMBLES IN
30 MINUTES
OR LESS**



SPRAYERS

A decorative graphic at the bottom of the page features a green grassy field. The field is framed by a thick, curved border that is red on the outside and black on the inside. The word "Precision" is written in a white, italicized, sans-serif font with a slight shadow, positioned in the center of the grassy area. A thin white swoosh underline is positioned above the letters "i", "c", and "i" of the word.

Precision



ONE YEAR MANUFACTURER'S WARRANTY



7 FT. SPOT SPRAYER FOLDING BOOM • MODEL TCB7

- Attaches to Precision's TCS25 and other larger sprayers
- Positional hinged boom
- Mounting fasteners included
- Fully assembled!

Boom: Three nozzles, 7' coverage
Sprayer: Standard fan sprayer (3)



FULLY ASSEMBLED –
NO TOOLS REQUIRED



10 FT. HINGED SPOT SPRAYER FOLDING BOOM • MODEL FB10SS

- Attaches to Precision's TCS25 and other larger sprayers
- 82-1/2" spray pattern
- Positional spray boom allows for side spraying and break-away action
- Fully assembled!

Boom: 3/4" diameter spray tube and three spraying nozzles
Sprayer: Positional spray boom



FULLY ASSEMBLED –
NO TOOLS REQUIRED



15 GAL TRAILING SPRAYER • MODEL TCT15

- Tow behind tractor to spray over 7' area; hand wand also included for spot spraying
- Attaches to 12-volt tractor battery
- Up to 60 PSI; 1.8 gallons per minute
- Heavy duty poly tank with drain plug attaches easily to most trailer/mowers

Capacity: 15 gallons
Frame: Heavy duty tubular steel
Spray Body: Opaque tank with gallon with call outs & drain plug
Wheels: 10" pneumatic
Spread: 7' wide
Handgun: Thumb control with adjustable tips and 15' hose
Boom: Two nozzle, 7' coverage
Pump: 12 Volt, 1.8 GPM, 60 PSI, 8' detachable power harness



15 MINUTES



**ASSEMBLES IN
15 MINUTES
OR LESS**



25 GAL TRAILING SPRAYER • MODEL TCT25

- Tow behind tractor to spray over 7' area; hand wand also included for spot spraying
- Attaches to 12-volt tractor battery
- Up to 60 PSI; 1.8 gallons per minute
- Heavy duty poly tank with drain plug attaches easily to most trailer/mowers

Capacity: 25 gallons
Frame: Heavy duty tubular steel
Spray Body: Opaque tank with gallon with call outs & drain plug
Wheels: 10" pneumatic
Spread: 7' wide
Handgun: Thumb control with adjustable tips and 15' hose
Boom: Two nozzle, 7' coverage
Pump: 12 Volt, 1.8 GPM, 60 PSI, 8' detachable power harness



15 MINUTES



**ASSEMBLES IN
15 MINUTES
OR LESS**





ONE YEAR MANUFACTURER'S WARRANTY



15 GAL SPOT SPRAYER • MODEL TCS15

- Full range of options to mount to ATVs and lawn tractors
- Opaque tank with gallon callouts and drain plug
- On-Off switch
- Pump operates off all 12-volt batteries
- 15' hose with adjustable tip
- Heavy duty alligator clips
- Wand securely attaches to tank body
- Fully assembled!



Capacity:	15 gallons
Body Design:	Opaque heavy duty plastic with drain plug
Handgun:	Thumb control with adjustable tips
Pump:	12 Volt, 1 GPM, 40PSI
Power Harness:	8' detachable with heavy duty alligator clips with on-off switch
Wand:	29" wand with adjustable tip and 15' hose



FULLY ASSEMBLED –
NO TOOLS REQUIRED





ONE YEAR MANUFACTURER'S WARRANTY



25 GAL SPOT SPRAYER • MODEL TCS25

- Full range of options to mount to ATVs and lawn tractors
- Opaque tank with gallon callouts and drain plug
- On-Off switch
- Pump operates off all 12-volt batteries
- 15' hose with adjustable tip
- Heavy duty alligator clips
- Wand securely attaches to tank body
- Can be used with the TCB7 and the FB10SS folding boom
- Fully assembled!



Capacity: 25 gallons
Body Design: Opaque heavy duty plastic with drain plug
Handgun: Thumb control with adjustable tips
Pump: 12 Volt, 1.8 GPM, 60PSI
Power Harness: 8' detachable with heavy duty alligator clips with on-off switch
Wand: 29" wand with adjustable tip and 15' hose



FULLY ASSEMBLED –
NO TOOLS REQUIRED



HOSE REELS

A decorative graphic at the bottom of the page features a red and black swoosh that frames a patch of green grass. The word "Precision" is written in a white, italicized, sans-serif font with a black outline, positioned centrally over the grass.

Precision

250 FT. COMMERCIAL HOSE REEL 4-WHEEL CART • MODEL HR250

- Four wheel design for easy maneuverability
- Smooth reel and sturdy hand crank design
- Conveniently holds up to 250' of 5/8" hose
- Durable powder coated finish with brass fixtures
- 6-1/2' of leader hose provided



Capacity: 250' of 5/8" garden hose
Material: Steel
Wheels: Four 10" pneumatic wheels
Unique Features: • 6-1/2' leader hose
• Built-in tool tray
• 90 degree brass live swivel-prevents kinking

30 MINUTES



**ASSEMBLES IN
30 MINUTES
OR LESS**



350 FT. COMMERCIAL HOSE REEL 4-WHEEL CART • MODEL HR350

- Four wheel design for easy maneuverability
- Smooth reel and sturdy hand crank design
- Conveniently holds up to 350' of 5/8" hose
- Solid cylinder reel for heavier use
- Durable powder coated finish with brass fixtures
- 6-1/2' of leader hose provided



Capacity: 350' of 5/8" garden hose
Material: Steel
Wheels: Four 10" pneumatic wheels
Unique Features: • 6-1/2' leader hose
• Built-in tool tray
• 90 degree brass live swivel-prevents

kinking

30 MINUTES



**ASSEMBLES IN
30 MINUTES
OR LESS**



250 FT. INDUSTRIAL GRADE PATENTED HOSE REEL • MODEL HC250P

- Long lasting belt with nylon gears turns the reel 1 1/2 times for every time you turn the crank once
- Smooth reel and sturdy hand crank design allows you to reel up your garden hose 33% faster
- Conveniently holds up to 250' of 5/8" hose
- Durable powder coated finish with brass fixtures
- 6' of Industrial leader hose provided

Capacity: 250' of 5/8" garden hose
Material: Steel
Wheels: 10" solid puncture-proof wheels
Unique Features:

- 6' industrial quality leader hose
- Eliminates the need for bending over to reel up the hose
- Hand crank provides 33% less cranks to reel up hose

30 MINUTES



**ASSEMBLES IN
30 MINUTES**



GARDEN ACCESSORIES

A decorative graphic at the bottom of the page features a green grassy field. The field is framed by a thick, curved border that is red on the outside and black on the inside. The word "Precision" is written in a white, italicized, sans-serif font across the middle of the grass, with a thin white swoosh underline that extends to the right.

Precision



ONE YEAR MANUFACTURER'S WARRANTY



GARDEN SEEDER • MODEL GS2010

- Two tandem hoppers, one for seed and one for fertilizer
- Designed to plow, plant, cover seeds over and mark the next row
- Accurately plants seeds in rows without straining your back
- Variable depth planting
- Storage pouch with six seed plates for 20 different types of seeds
- Powder coated steel tubular frame
- Concave design wheels

Capacity: Up to 6 lbs. of material
Body Design: 3/4" powder coated steel
Hopper: Two tandem hoppers
Wheels: Concave design
Special Features: Storage pouch, seed plates and adjustable fertilizer lever



FULLY ASSEMBLED –
NO TOOLS REQUIRED

